



3/4 INCH X 5 FT BILGE PUMP PLUMBING KIT

BT6536

Installation Guide




*Find this and other
installation videos
@DRIFTOUTDOORS
on our YouTube Channel*

Vendor stock number: BT6536
Questions, problems, missing parts?
Before returning to the store, call
GreatStar Customer Service
9AM-4PM CST, M-F

Call: 479-802-3580 or Email: Help@greatstar-us.com

Read all instructions carefully before installing and using this product.

**Check BILGE PUMP is appropriately installed
Before connecting the PUMP PLUMBING KIT**



**Recommend for use with
BT6188 - DRIFT BILGE PUMP**

*DRIFT Bilge Pump available in
Walmart and on Walmart.com*



TOOLS YOU WILL NEED:

- Drill
- Drill Bit (Thru-hull Diameter Size)
- Flat Head Screwdriver
- Silicone Glue

1. DRILL HOLE TO MATCH DIAMETER OF THRU-HULL FITTING

Ensure hole is above water line



2. ADD SILICONE TO INSIDE OF THRU-HULL FITTING

for watertight connection



3. INSTALL THRU-HOLE FITTING

into the drilled hole from the outside of the boat wall



4. ADD SILICONE TO THE LIP ON THE RING NUT



5. TIGHTEN THE RING NUT

Ensure the ring nut is flush to the inside of the boat wall



6. ATTACH PLUMBING HOSE

To the thru-hull fitting and tighten hose clamp



7. ATTACH PLUMBING HOSE TO BILGE PUMP



8. TIGHTEN HOSE CLAMP



9. ORGANIZE PLUMBING AND WIRES

