





Projector installation


What's in the box?



Setting up the bracket




The bracket needs to be reassembled as it's shown on the picture below.
Follow the instructions on the next slides.




Setting up the bracket


Step 1



One of the arms is redundant and needs to be removed.




Unscrew this screw at the top using cross-head screwdriver.




Remove the arm.

Setting up the bracket


Step 2




Loosen this particular arm wingnut and remove it.



Slide out the long attachment.



Turn the long attachment around and slide it back in.



Tighten the arm wingnut in about this position.

Setting up the bracket


Step 3




Loosen this particular arm wingnut and remove it.



Slide out the long attachment.




Take a short attachment and slide it in instead of long one.




Tighten the arm wingnut in about this position.

Setting up the bracket


Step 4




Loosen this particular arm wingnut and remove it.



Slide out the long attachment.




Take a short attachment and slide it in instead of a long one.




Tighten the arm wingnut in about this position.

Setting up the bracket

Step 5




Loosen this screw at the top using cross-head screwdriver.




Rotate the arm to about this position and tighten the screw at the top.

Positioning the bracket on the bottom of the projector





Turn projector upside down with the lens facing towards you and find three mounting holes.



Ensure that when you position your recently formed bracket, the holes on it match up exactly to the holes on the bottom of your projector. Tighten the screws.


Attaching the gimbal to the F Pole

The gimbal mount is welded on the F Pole.




Line up the holes of the gimbal with the holes on the gimbal mount on the F Pole and simply screw four screws in.

Attaching projector to the gimbal




Hang the projector on the gimbal




Screw one screw in as it shown on a picture and the other one on the opposite side of the gimble.

Connecting the projector to the power



Plug in the power cord to the projector.

Connecting HDMI cord to the projector



Plug the HDMI cable into either of the two HDMI ports