

SAFETY DATA SHEET

Top Gelcoat X
RM-TGXB15



SAFETY DATA SHEET

Version: 01
Date: 1/19/2026

aprés

CREATOR OF GEL-X®

SECTION 1: FORMULA AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: Top Gelcoat X
Product Code: RM-TGXB15

1.2 Recommended Use

Recommended Use: Cosmetic/Personal Care -UV Gel Polish

1.3 Supplier Details

Supplier: Applied Lacquer Industries Inc.
Address: 16839 Gale Ave, City of Industry, CA 91745

1.4 Emergency Contact

Emergency Contact Phone Number: 626-581-1894

1.5 Manufacturer Details

Manufacturer: Weihao Industries Inc.
Address: 15151 Don Julian Rd, City of Industry, CA 91745

SECTION 2: HAZARDS IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

2.1 Classification of the Substance or Mixture

OSHA/HCS Status: This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification: Skin Irritation - Category 3
Skin Sensitization - Category 1

2.2 GHS Label Elements

SAFETY DATA SHEETTop Gelcoat X
RM-TGXB15**Hazard Pictograms:****Signal Word:**

Warning

Hazard Statements:(H316) Causes mild skin irritation.
(H317) May cause an allergic skin reaction.
(H319) Causes serious eye irritation.
(H335) May cause respiratory irritation.**Precautionary Statements****General:**(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P103) Read label before use.**Prevention:**(P261) Avoid breathing dust/fume/gas/mist/vapors/spray.
(P264) Wash thoroughly after handling.
(P271) Use only outdoors or in a well-ventilated area.
(P272) Contaminated work clothing should not be allowed out of the workplace.**Response:**(P280) Wear protective gloves, protective clothing and eye or face protection.
(P302+P352) IF ON SKIN: Wash with plenty of water.
(P304+P312) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
(P305+P351+P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
(P12) Call a POISON CENTER/ doctor if you feel unwell.
(P332+P313) If skin irritation occurs: Get medical attention.
(P333+P313) If skin irritation or rash occurs: Get medical attention.
(P362+P364) Take off contaminated clothing and wash it before reuse.
(P33 +313) If eye irritation persists get medical advice / attention**Storage:**

Not Applicable (See Section 7)

Disposal:

(P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other Hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Mixture****Non-Hazardous Ingredients:**

INCI	CAS #	EC #	Concentration	Function
Acrylates Copolymer	25133-97-5	Not Available	55%-65%	Artificial Nail Builder
Acrylates/VP Copolymer	26589-26-4	Not Available	30%-40%	Film Former
Acrylates Copolymer	25035-69-2	Not Available	1%-3%	Artificial Nail Builder

Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below

INCI	CAS #	EC #	Concentration	Function	Hazard Classification
Trimethylolpropane Triacrylate	15625-89-5	239-701-3	1%-3%	Film Former	Skin Irritation - Category 2 Eye Irritation - Category 2 Skin Sensitization - Category 1



SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	Rinse thoroughly with water after contact. Seek medical attention if irritation develops or persists. Clean contaminated clothing before re-use.
Inhalation:	If symptoms develop, move victim to fresh air. Seek medical attention if symptoms persist.
Ingestion:	If swallowed, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Most Important

Symptoms and Effects: Not expected to present a significant hazard under anticipated conditions of use.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.

Notes to Physician: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing

Media: Water spray, foam, or dry chemical.

Unsuitable Extinguishing

Media: None known

5.2 Special Hazards Arising from the Substance or Mixture

Special Hazard: During fire, combustion gases hazardous to health may be formed. Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Oxides of phosphorus. Other irritating organic gas. Uncontrolled polymerization at elevated temperatures may result in container rupture or explosion.

5.3 Advice for Firefighters

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering affected area. Evacuate surrounding areas. Put on appropriate personal protective equipment.

Advice for Emergency

Responders: Wear appropriate respirator when ventilation is inadequate.

6.2 Environmental Precautions

Environmental Precautions: Avoid dispersal of spilled material and runoff. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

Top Gelcoat X
RM-TGXB15



Methods for Clean-Up: Contain spill with an inert non-combustible absorbent material (e.g., dry sand or earth) and place in a chemical waste container for disposal according to local / national regulations (see section 13).

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Precautions for Safe Handling: Keep container closed when not in use to avoid contamination.
Generally safe for direct contact with the cured product.
When handling the uncured liquid, the following precautionary measures should be followed:
Use only in well-ventilated condition. Avoid inhalation of vapor or mist.
Avoid contact with skin and eyes.
Use suitable personal protective equipment.
Wash hands after handling.
Do not eat, drink, or smoke while handling.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep containers tightly closed. Store upright, out of direct sunlight, in a cool, dry, well-ventilated area

Incompatibilities: Strong oxidizing agents. Strong Acids & Alkaline.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Values: Not available

8.2 Exposure Controls

Engineering Measures: Provide appropriate exhaust ventilation. Provide safe shower and eye wash fountain.

Personal Protective Equipment: This is a cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

Respiratory Protection: Use safety glasses or safety goggles if splash hazards exist. Use gloves and other protective clothing (apron, boots, etc.) to prevent skin contact. Always follow good hygienic work practices.

Eye Protection: Not required under normal usage. Use equipment for eye protection if liquid in-eye risk exists.

Body Protection: Avoid skin exposure. If necessary, wear suit protecting against chemicals.

Hands Protection: Avoid skin exposure. Handle with care in production, wear chemical-resistant gloves.

Other Protections: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Chemical and Physical Properties

Physical State: Liquid

Color: Transparent

Odor: Acrylate Resin

Specific Gravity @ 25°C (77°F): Not available

SAFETY DATA SHEET

Top Gelcoat X
RM-TGXB15



pH:	5.0
Viscosity:	5800.0 - 6200.0, cps
Flash Point:	105°C (221°F)
Density(g/m3)	1.05
Melting Point/Freezing Point:	Not available
Initial Boiling Point and Boiling Range:	Not available
Heat of Combustion:	Not available
Aerosol	Not available
Upper/Lower Flammability or Explosive	Not available
Vapor Pressure:	Not available
Vapor Density:	Not available
Odor Threshold:	Not available
Solubility in Water:	Not available
Evaporation Rate:	Not available
Flammability (solid, gas):	Not available
Partition Coefficient: n-octanol/water:	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Oxidizing Properties:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data is available.

10.2 Chemical Stability

No specific test data is available.

10.3 Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Extremely high or low temperatures. Keep away from open flames, hot surfaces, sources of ignition. Do not expose to light until used.

10.5 Incompatible Materials

Strong oxidizing agents. Strong Acids & Alkaline.

10.6 Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Oxides of phosphorus. Other organic gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Inhalation:	May cause respiratory irritation if inhaling concentrated vapor.
Skin Contact:	May cause an allergic skin reaction.
Ingestion:	May be harmful if ingested.
Eye Contact:	Causes serious eye irritation.

SAFETY DATA SHEET

Top Gelcoat X
RM-TGXB15



Acute Toxicity:	This product is a low toxicity, LD50>3000mg/kg
Skin Corrosion / Irritation:	No information available.
Serious Eye Damage / Eye Irritation:	No information available.
Skin Sensitization:	No information available.
Respiratory Sensitization:	No information available.
Germ Cell Mutagenicity:	No information available.
Neurological Effects:	No information available.
Reproductive Toxicity:	No information available.
Developmental Toxicity:	No information available.
Teratogenicity:	No information available.
STOT - Single Exposure:	No information available.
STOT - Repeated Exposure:	No information available.
Target Organ Effects:	No information available.
Aspiration Hazard:	No information available.
Carcinogenicity:	No information available.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Hazards: No information available.

12.2 Persistence and Degradability

Persistence and Degradability: No information available.

12.3 Bioaccumulative Potential

Bioaccumulative Potential: No information available.

12.4 Mobility in Soil

Soil / Water Partition Coefficient: No information available.

Mobility: No information available.

12.5 Results of PBT and vPvB Assessment

PBT: No information available.

vPvB: No information available.

12.6 Other Adverse Effects

Other Adverse Effects: May cause harm to aquatic environments. Avoid discharge into drains, waterways, or soil without prior authorization from appropriate regulatory authorities.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Disposal Methods: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

SAFETY DATA SHEET

Top Gelcoat X
RM-TGXB15



	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
IMDG	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
IATA	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
TDG	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

SARA 313:

Not applicable for consumer use.

CERCLA:

This material does not contain any components with a CERCLA RQ.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):

Not applicable for consumer use.

U.S. State Regulations (RTK):

Not applicable for consumer use.

Food and Drug Administration (FDA):

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

California Proposition 65:

Based on the available information provided about the formulation, this formula does not contain an ingredient listed on Prop 65.

SECTION 16: OTHER INFORMATION

Legend:

CAS = Chemical Abstracts Service

REL = Recommended Exposure Limit

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

SARA = Superfund Amendments and Reauthorization Act

DOT = Department of Transportation (USA)

STEL = Short Term Exposure Limit

GHS = Globally Harmonized System of Classification

STOT = Specific Target Organ Toxicity

IATA = International Air Transport Association

TDG = Transportation of Dangerous Goods

IMDG = International Maritime Dangerous Goods

TLV = Threshold Limit Value

NIOSH = National Institute for Occupational Safety and Health

TSCA = Toxic Substances Control Act

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Average

PBT = Persistent bioaccumulative and Toxic

vPvB = very Persistent and very Bio-accumulative

PEL = Permissible Exposure Limit

PPE = Personal Protective Equipment

Issuing Date: 01/19/2026

Revision Date:

Version: 1

Disclaimer:

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of

SAFETY DATA SHEET

Top Gelcoat X

RM-TGXB15



use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

End of SDS