

**SAFETY DATA SHEET**

Matte Top Gelcoat  
RM-MTGB15



Version: 01  
Date: 1/19/2026

# **SAFETY DATA SHEET**

**aprés**  
CREATOR OF GEL-X®

## **SECTION 1: FORMULA AND COMPANY IDENTIFICATION**

**1.1 Product Identifier**

**Product Name:** Matte Top Gelcoat  
**Product Code(s):** RM-MTGB15

**1.2 Recommended Use**

**Recommended Use:** Cosmetic/Personal Care - UV Gel Polish

**1.3 Supplier Details**

**Supplier:** Applied Lacquer Industries Inc.  
**Address:** 16839 Gale Ave, City of Industry, CA 91745

**1.4 Emergency Contact**

**Emergency Contact Phone Number:** 626-581-1894

**1.5 Manufacturer Details**

**Manufacturer:** Weihao Industries Inc.  
**Address:** 15151 Don Julian Rd, City of Industry, CA 91745

## **SECTION 2: HAZARDS IDENTIFICATION**

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

**2.1 Classification of the Substance or Mixture**

**OSHA/HCS Status:** This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).  
**Classification:** Specific Target Organ Toxicity - Single Exposure - Category 3  
Eye Irritation - Category 2

**2.2 GHS Label Elements**

**SAFETY DATA SHEET**Matte Top Gelcoat  
RM-MTGB15**Hazard Pictograms:****Signal Word:**

Warning

**Hazard Statements:**

(H319) Causes serious eye irritation.

(H336) May cause drowsiness or dizziness.

**Precautionary Statements****General:**

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P103) Read label before use.

**Prevention:**

(P261) Avoid breathing dust/fume/gas/mist/vapors/spray.

(P264) Wash hands thoroughly after handling.

(P271) Use only outdoors or in a well-ventilated area.

(P272) Contaminated work clothing should not be allowed out of the workplace.

(P280) Wear protective gloves, protective clothing and eye or face protection.

**Response:**

(P302 + 352) IF ON SKIN : Wash with soap and water

(P304+P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(P305+P351+P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P312) Call a POISON CENTER if you feel unwell.

(P337+P313) If eye irritation persists: Get immediate medical attention.

**Storage:**

(P403+P233) Store in a well-ventilated place. Keep container tightly closed.

(P405) Store locked up.

**Disposal:**

(P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

**2.3 Other Hazards**

None known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Mixture****Non-Hazardous Ingredients:**

INCI	CAS #	EC #	Concentration	Function
Acrylates Copolymer	25035-69-2	Not Available	30%-55%	Artificial Nail Builder
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	10%-40%	Artificial Nail Builder
Polyethylene terephthalate	25038-59-9	Not Available	10%-30%	Artificial Nail Builder
Ethyl Trimethylbenzoyl Phenylphosphinate	84434-11-7	Not Available	1%-10%	Artificial Nail Builder

Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below

INCI	CAS #	EC #	Concentration	Function	Hazard Classification
Isopropyl Alcohol	67-63-0	200-661-7	10%-25%	Solvent	Eye Irritation - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3 Flammable Liquids - Category 2

**SECTION 4: FIRST AID MEASURES**

## SAFETY DATA SHEET

Matte Top Gelcoat  
RM-MTGB15



### 4.1 Description of First Aid Measures

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin Contact:** Rinse thoroughly with water after contact. Seek medical attention if irritation develops or persists. Clean contaminated clothing before re-use.

**Inhalation:** If symptoms develop, move victim to fresh air. Seek medical attention if symptoms persist.

**Ingestion:** If swallowed, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person.

### 4.2 Most Important Symptoms and Effects, Both Acute and Delayed

#### **Most Important**

**Symptoms and Effects:** Not expected to present a significant hazard under anticipated conditions of use.

### 4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.

**Notes to Physician:** Treat symptomatically.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### 5.1 Extinguishing Media

#### **Suitable Extinguishing**

**Media:** Water spray, foam, or dry chemical.

#### **Unsuitable Extinguishing**

**Media:** None known

### 5.2 Special Hazards Arising from the Substance or Mixture

**Special Hazard:** During fire, combustion gases hazardous to health may be formed.

### 5.3 Advice for Firefighters

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, Protective Equipment, and Emergency Procedures

**Personal Precautions:** No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering affected area. Evacuate surrounding areas. Put on appropriate personal protective equipment.

#### **Advice for Emergency**

**Responders:** Wear appropriate respirator when ventilation is inadequate.

### 6.2 Environmental Precautions

**Environmental Precautions:** Avoid dispersal of spilled material and runoff. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and Material for Containment and Cleaning Up

**Methods for Containment:** Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up:** Contain spill with an inert non-combustible absorbent material (e.g., dry sand or earth) and place in a chemical waste container for disposal according to local / national regulations (see section 13).

## **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling

## SAFETY DATA SHEET

Matte Top Gelcoat  
RM-MTGB15



**Precautions for Safe Handling:** Keep container closed when not in use to avoid contamination. Avoid contact with eyes. Wash hands after handling. Do not eat, drink, or smoke while handling.

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

**Storage:** For safe storage, store at or below 26°C (80°F). Keep in a cool, well-ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

**Handling:** Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

**Incompatibilities:** Refer to Section 10.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

#### Occupational Exposure Values:

Chemical Name	CAS Number	Basis	Form of Exposure	Permissible Concentration
Isopropyl Alcohol	67-63-0	ACGIH TLV	STEL	400 ppm
		ACGIH TLV	TWA	200 ppm
		Cal OSHA PEL	STEL	500 ppm
		Cal OSHA PEL	TWA	400 ppm
		NIOSH REL	STEL	500 ppm
		NIOSH REL	TWA	400 ppm
		OSHA PEL	TWA	400 ppm
		OSHA PEL	TWA	980 mg/m <sup>3</sup>

### 8.2 Exposure Controls

#### Engineering Measures:

Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

#### PPE for Household Settings:

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use. No special protective equipment required.

#### PPE for Non-Household Settings:

Respiratory protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/face protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full-face shield.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic Chemical and Physical Properties

**Physical State:** Not available

**Color:** Transparent

**Odor:** Acrylate Resin

**Specific Gravity @ 25°C (77°F):** Not available

## **SAFETY DATA SHEET**

Matte Top Gelcoat  
RM-MTGB15



<b>pH:</b>	Not available
<b>Viscosity:</b>	Not available
<b>Flash Point:</b>	105°C (221°F)
<b>Melting Point/Freezing Point:</b>	Not available
<b>Initial Boiling Point and Boiling Range:</b>	93°C (199.4°F)
<b>Heat of Combustion:</b>	Not available
<b>Aerosol</b>	No
<b>Upper/Lower Flammability or Explosive</b>	Not available
<b>Vapor Pressure:</b>	Not available
<b>Vapor Density:</b>	Not available
<b>Odor Threshold:</b>	Not available
<b>Solubility in Water:</b>	Not available
<b>Evaporation Rate:</b>	Not available
<b>Flammability (solid, gas):</b>	Not available
<b>Partition Coefficient: n-octanol/water:</b>	Not available
<b>Auto-Ignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available
<b>Oxidizing Properties:</b>	Not available

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Reactivity**

No specific test data is available.

### **10.2 Chemical Stability**

Stable under normal conditions of storage and use.

### **10.3 Possibility of Hazardous Reactions**

Hazardous polymerization may occur.

### **10.4 Conditions to avoid**

Heat, flames, sparks and other sources of ignition. Do not heat above 26°C(80°F).

### **10.5 Incompatible Materials**

Strong acids. Strong oxidizing agents. Bases.

### **10.6 Hazardous Decomposition Products**

Oxides of carbon. Oxides of nitrogen. Dimethylamine. Irritating organic vapors. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Information on Toxicological Effects**

<b>Inhalation:</b>	No information available.
<b>Skin Contact:</b>	No information available.
<b>Ingestion:</b>	No information available.
<b>Eye Contact:</b>	No information available.
<b>Acute Toxicity:</b>	No information available.
<b>Skin Corrosion / Irritation:</b>	No information available.

## SAFETY DATA SHEET

Matte Top Gelcoat  
RM-MTGB15



<b>Serious Eye Damage / Eye Irritation:</b>	No information available.
<b>Skin Sensitization:</b>	No information available.
<b>Respiratory Sensitization:</b>	No information available.
<b>Germ Cell Mutagenicity:</b>	No information available.
<b>Neurological Effects:</b>	No information available.
<b>Reproductive Toxicity:</b>	No information available.
<b>Developmental Toxicity:</b>	No information available.
<b>Teratogenicity:</b>	No information available.
<b>STOT - Single Exposure:</b>	No information available.
<b>STOT - Repeated Exposure:</b>	No information available.
<b>Target Organ Effects:</b>	No information available.
<b>Aspiration Hazard:</b>	No information available.
<b>Carcinogenicity:</b>	No information available.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Hazards:** No information available.

### 12.2 Persistence and Degradability

**Persistence and Degradability:** No information available.

### 12.3 Bioaccumulative Potential

**Bioaccumulative Potential:** No information available.

### 12.4 Mobility in Soil

**Soil / Water Partition Coefficient:** No information available.

**Mobility:** No information available.

### 12.5 Results of PBT and vPvB Assessment

**PBT:** No information available.

**vPvB:** No information available.

### 12.6 Other Adverse Effects

**Other Adverse Effects:** No information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

**Disposal Methods:** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging:** Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14: TRANSPORT INFORMATION

	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
<b>DOT</b>	UN 1219	ISOPROPYL ALCOHOL (Isopropyl Alcohol)	3 - Flammable Liquids	II	No
<b>IMDG</b>	UN 1219	ISOPROPYL ALCOHOL (Isopropyl Alcohol)	3 - Flammable Liquids	II	No

**SAFETY DATA SHEET**Matte Top Gelcoat  
RM-MTGB15

	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
<b>IATA</b>	UN 1219	ISOPROPYL ALCOHOL (Isopropyl Alcohol)	3 - Flammable Liquids	II	No
<b>TDG</b>	UN 1219	ISOPROPYL ALCOHOL (Isopropyl Alcohol)	3 - Flammable Liquids	II	No

**SECTION 15: REGULATORY INFORMATION****15.1 US Federal Regulations****TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):**

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

**SARA 313:**

Not applicable for consumer use.

**CERCLA:**

This material does not contain any components with a CERCLA RQ.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):**

Not applicable for consumer use.

**U.S. State Regulations (RTK):**

Not applicable for consumer use.

**Food and Drug Administration (FDA):**

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

**California Proposition 65:**

Based on the available information provided about the formulation, this formula does not contain an ingredient listed on Prop 65.

**SECTION 16: OTHER INFORMATION****Legend:**

CAS = Chemical Abstracts Service

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

DOT = Department of Transportation (USA)

GHS = Globally Harmonized System of Classification

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

NIOSH = National Institute for Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

PBT = Persistent bioaccumulative and Toxic

PEL = Permissible Exposure Limit

PPE = Personal Protective Equipment

REL = Recommended Exposure Limit

SARA = Superfund Amendments and Reauthorization Act

STEL = Short Term Exposure Limit

STOT = Specific Target Organ Toxicity

TDG = Transportation of Dangerous Goods

TLV = Threshold Limit Value

TSCA = Toxic Substances Control Act

TWA = Time-Weighted Average

vPvB = very Persistent and very Bio-accumulative

**Issuing Date:** 01/19/2026**Revision Date:****Version:** 1**Disclaimer:**

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of

**SAFETY DATA SHEET**

Matte Top Gelcoat

RM-MTGB15



use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

**End of SDS**