

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Version: 01

Date: 03/10/2026

SAFETY DATA SHEET

aprés

CREATOR OF GEL-X®

SECTION 1: FORMULA AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: Light & Shadow – Spring, Summer, Fall, Winter
Product Color Numbers: 401-410, 501-510, 601-610, 701-710
Product Codes: RMGCS-401 through RMGCS-410
RMGCS-501 through RMGCS-510
RMGCS-601 through RMGCS-610
RMGCS-701 through RMGCS-710

1.2 Recommended Use

Recommended Use: Cosmetic/Personal Care – UV Gel Polish

1.3 Supplier Details

Supplier: Applied Lacquer Industries Inc.
Address: 16839 Gale Ave, City of Industry, CA 91745

1.4 Emergency Contact

Emergency Contact Phone Number: 626-581-1894

1.5 Manufacturer Details

Manufacturer: Weihao Industries Inc.
Address: 15151 Don Julian Rd, City of Industry, CA 91745

SECTION 2: HAZARDS IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

2.1 Classification of the Substance or Mixture

OSHA/HCS Status: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



use of the product. This SDS should be retained and available for employees and other users of this product.

Classification: None

2.2 GHS Label Elements

Hazard Pictograms: None

Signal Word: Warning

Hazard Statements: (H302) Harmful if swallowed.
(H312) Harmful in contact with skin.
(H332) Harmful if inhaled.
(H317) May cause an allergic skin reaction.
(H315) Causes skin irritation.
(H319) Causes serious eye irritation.
(H335) May cause respiratory irritation.

Precautionary Statements

General: (P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P103) Read label before use.

Prevention: (P261) Avoid breathing dust/fume/gas/mist/vapors/spray.
(P264) Wash hands thoroughly after handling.
(P270) Do not eat, drink or smoke when using this product.
(P271) Use only outdoors or in a well-ventilated area.

Response: (P272) Contaminated work clothing should not be allowed out of the workplace.
(P280) Wear protective gloves/protective clothing/eye protection/face protection.
(P301+P312) IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
(P302+P352) IF ON SKIN: Wash with plenty of water.
(P304+P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
(P330) Rinse mouth.
(P312) Call a POISON CENTER/doctor if you feel unwell.
(P333+P313) If skin irritation or rash occurs: Get medical advice/attention.
(P363) Wash contaminated clothing before reuse.
(P332+P313) If skin irritation occurs: Get medical advice/attention.
(P305+P351+P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
(P337+P313) If eye irritation persists: Get medical advice/attention.

Storage: (P403+P233) Store in a well-ventilated place. Keep container tightly closed.

Disposal: (P405) Store locked up.
(P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other Hazards None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture

Non-Hazardous Ingredients:

INCI	CAS #	EC #	Concentration	Function
Amino Methacrylate Copolymer	24938-16-7	Not Available	60%-65%	Artificial Nail Builder

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Acrylates/VP Copolymer	26589-26-4	Not Available	25%-30%	Artificial Nail Builder
Ethyl Trimethylbenzoyl Phenylphosphinate	84434-11-7	282-810-6	1%-3%	Photoinitiator
Titanium Dioxide (CI 77891)*	13463-67-7	236-675-5	0.1%-2%	Cosmetic Colorant
Manganese Violet (CI 77742)*	10101-66-3	233-257-4	0.1%-2%	Cosmetic Colorant
Iron Oxide Black (CI 77499)*	12227-89-3	235-442-5	0.1%-2%	Cosmetic Colorant
Iron Oxide Yellow (CI 77492) *	51274-00-1	257-098-5	0.1%-2%	Cosmetic Colorant
Chromium Hydroxide Green (CI 77289) *	12001-99-9	215-158-8	0.1%-2%	Cosmetic Colorant
Bismuth Oxychloride (CI 77163) *	7787-59-9	232-122-7	0.1%-2%	Cosmetic Colorant
Blue 1 (CI 42090)*	3844-45-9	223-339-8	0.1%-2%	Cosmetic Colorant
Red 6 (CI 15850) *	5858-81-1	227-497-9	0.1%-2%	Cosmetic Colorant

*Formula may contain

Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below

None known.

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	Rinse thoroughly with water after contact. Seek medical attention if irritation develops or persists. Clean contaminated clothing before re-use.
Inhalation:	If symptoms develop, move victim to fresh air. Seek medical attention if symptoms persist.
Ingestion:	If swallowed, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Most Important

Symptoms and Effects: Not expected to present a significant hazard under anticipated conditions of use.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.

Notes to Physician: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing

Media: Water spray, foam, or dry chemical.

Unsuitable Extinguishing

Media: None known

5.2 Special Hazards Arising from the Substance or Mixture

Special Hazard: During fire, combustion gases hazardous to health may be formed. Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers. Oxides of carbon, Oxides of nitrogen, Irritating organic vapors, Toxic fumes, May be produced

5.3 Advice for Firefighters

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering affected area. Evacuate surrounding areas. Put on appropriate personal protective equipment.

Advice for Emergency Responders: Wear appropriate respirator when ventilation is inadequate. Remove sources of ignition. Prevent product from entering drains or open waters.

6.2 Environmental Precautions

Environmental Precautions: Avoid dispersal of spilled material and runoff. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Contain spill with an inert non-combustible absorbent material (e.g., dry sand or earth) and place in a chemical waste container for disposal according to local / national regulations (see section 13).

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Precautions for Safe Handling: Keep container closed when not in use to avoid contamination. Avoid contact with eyes. Wash hands after handling. Do not eat, drink, or smoke while handling. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: For safe storage, store at or below 26°C (80°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

Incompatibilities: Strong acids. Strong oxidizing agents. Bases..

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Values: Not available

8.2 Exposure Controls

Engineering Measures: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

PPE for Household Settings: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use. No special protective equipment required.

PPE for Non-Household Settings: **Respiratory protection:** Use NIOSH/OSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a NIOSH/OSHA approved respirator must be used.

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/face protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield..

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Chemical and Physical Properties

Physical State:	Liquid
Color:	Various
Odor:	Acrylate Resin
Specific Gravity @ 25°C (77°F):	1.1
pH:	Not available
Viscosity:	Not available
Flash Point:	105°C (221°F)
Melting Point/Freezing Point:	Not available
Initial Boiling Point and Boiling Range:	<93°C (199.4°F)
Heat of Combustion:	Not available
Aerosol	No
Upper/Lower Flammability or Explosive	Not available
Vapor Pressure:	Not available
Vapor Density:	Not available
Odor Threshold:	Not available
Solubility in Water:	Not available
Evaporation Rate:	Not available
Flammability (solid, gas):	Not available
Partition Coefficient: n-octanol/water:	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Oxidizing Properties:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data is available.

10.2 Chemical Stability

Stable under normal conditions of storage and use.

10.3 Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous reactions will not occur. Hazardous polymerization, may occur if exposed to heat.

10.4 Conditions to avoid

Extremely high or low temperatures. Heat, flames, sparks and other sources of ignition. Do not heat above 26°C (80°F).

10.5 Incompatible Materials

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Strong acids. Strong oxidizing agents. Bases.

10.6 Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Inhalation:	May cause respiratory irritation if inhaling concentrated vapor.
Skin Contact:	Repeated or prolonged excessive exposure may cause irritation.
Ingestion:	May be harmful if ingested.
Eye Contact:	Irritating to eyes.
Acute Toxicity:	No information available.
Skin Corrosion / Irritation:	Repeated or prolonged excessive exposure may cause irritation.
Serious Eye Damage / Eye Irritation:	Irritating to eyes.
Skin Sensitization:	May cause an allergic skin reaction.
Respiratory Sensitization:	No information available.
Germ Cell Mutagenicity:	No information available.
Neurological Effects:	No information available.
Reproductive Toxicity:	No information available.
Developmental Toxicity:	No information available.
Teratogenicity:	No information available.
STOT - Single Exposure:	No information available.
STOT - Repeated Exposure:	No information available.
Target Organ Effects:	No information available.
Aspiration Hazard:	No information available.
Carcinogenicity:	No information available.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Hazards: No information available.

12.2 Persistence and Degradability

Persistence and Degradability: No information available.

12.3 Bioaccumulative Potential

Bioaccumulative Potential: No information available.

12.4 Mobility in Soil

Soil / Water Partition Coefficient: No information available.

Mobility: No information available.

12.5 Results of PBT and vPvB Assessment

PBT: No information available.

vPvB: No information available.

12.6 Other Adverse Effects

Other Adverse Effects: No information available.

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Disposal Methods: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
DOT	Not regulated	- Not available	- Not available	- Not available	- Not available
IMDG	Not regulated	- Not available	- Not available	- Not available	- Not available
IATA	Not regulated	- Not available	- Not available	- Not available	- Not available
TDG	Not regulated	- Not available	- Not available	- Not available	- Not available

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

SARA 313:

Not applicable for consumer use.

CERCLA:

This material does not contain any components with a CERCLA RQ.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):

Not applicable for consumer use.

U.S. State Regulations (RTK):

Not applicable for consumer use.

Food and Drug Administration (FDA):

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

California Proposition 65:

Based on the available information provided about the formulation, this product does not require a California Proposition 65 warning

SECTION 16: OTHER INFORMATION

Legend:

CAS = Chemical Abstracts Service

REL = Recommended Exposure Limit

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

SARA = Superfund Amendments and Reauthorization Act

DOT = Department of Transportation (USA)

STEL = Short Term Exposure Limit

GHS = Globally Harmonized System of Classification

STOT = Specific Target Organ Toxicity

IATA = International Air Transport Association

TDG = Transportation of Dangerous Goods

IMDG = International Maritime Dangerous Goods

TLV = Threshold Limit Value

NIOSH = National Institute for Occupational Safety and Health

TSCA = Toxic Substances Control Act

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Average

PBT = Persistent bioaccumulative and Toxic

vPvB = very Persistent and very Bio-accumulative

PEL = Permissible Exposure Limit

PPE = Personal Protective Equipment

SAFETY DATA SHEET

Light & Shadow- Spring, Summer, Fall, Winter
Colors 401-410, 501-510, 601-610, 701-710



Issuing Date: 03/10/2026

Revision Date:

Version: 1

Disclaimer:

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

End of SDS