

**SAFETY DATA SHEET**

Astral – Pearlescent  
P01, P04, P07-P10



Version: 01  
Date: 3/17/2026

**SAFETY DATA SHEET**

**aprés**  
CREATOR OF GEL-X®

**SECTION 1: FORMULA AND COMPANY IDENTIFICATION**

**1.1 Product Identifier**

**Product Name:** Astral – Pearlescent  
**Product Color Numbers:** P01, P04, P07-P10  
**Product Codes:** RM-GCP01, RM-GCP04, RM-GCP07, RM-GCP08, RM-GCP09, RM-GCP10

**1.2 Recommended Use**

**Recommended Use:** Cosmetic/Personal Care – UV Gel Polish

**1.3 Supplier Details**

**Supplier:** Applied Lacquer Industries Inc.  
**Address:** 16839 Gale Ave, City of Industry, CA 91745

**1.4 Emergency Contact**

**Emergency Contact Phone Number:** 626-581-1894

**1.5 Manufacturer Details**

**Supplier:** Weihao Industries Inc.  
**Address:** 15151 Don Julian Rd, City of Industry, CA 91745

**SECTION 2: HAZARDS IDENTIFICATION**

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

**2.1 Classification of the Substance or Mixture**

**OSHA/HCS Status:** While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification:** None

## **SAFETY DATA SHEET**

Astral – Pearlescent  
P01, P04, P07-P10



### **2.2 GHS Label Elements**

**Hazard Pictograms:** None  
**Signal Word:** Warning  
**Hazard Statements:** (H315) Causes skin irritation  
(H317) May cause an allergic skin reaction  
(H319) Causes serious eye irritation

### **Precautionary Statements**

**General:** (P101) If medical advice is needed, have product container or label at hand.  
(P102) Keep out of reach of children.  
(P103) Read label before use.  
**Prevention:** (P261) Avoid breathing dust/fume/gas/mist/vapors/spray.  
(P264) Wash thoroughly after handling.  
(P272) Contaminated work clothing should not be allowed out of the workplace.  
(P280) Wear protective gloves, protective clothing and eye or face protection.  
**Response:** (P308+P313) If exposed or concerned: Get medical advice/attention.  
(P362) Take off contaminated clothing and wash before reuse.  
(P302+P352) IF ON SKIN: Wash with plenty of soap and water.  
(P305+P351+P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, continue rinsing.  
(P333+P313) If skin irritation or rash occurs: Get medical advice/attention.  
(P337+P313) If eye irritation persists: Get medical advice/attention.  
(P391) Collect spillage.  
**Storage:** (P403+P235) Store in a well-ventilated place. Keep cool.  
(P405) Store locked up.  
**Disposal:** (P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

**2.3 Other Hazards** None known.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1 Mixture**

#### **Non-Hazardous Ingredients:**

<b>INCI</b>	<b>CAS #</b>	<b>EC #</b>	<b>Concentration</b>	<b>Function</b>
Polyurethane-80	139352-65-1	Not Available	55%-70%	Artificial Nail Builder
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	10%-18%	Artificial Nail Builder
Trimethylbenzoyl Ditolylphosphine Oxide	270586-78-2	433-490-9	1%-4%	Photoinitiator
Silica	7631-86-9	231-545-4	0.1%-5%	Opacifying Agent
Dimethicone	9006-65-9	Not Available	0.1%-5%	Occlusive Solvent
Synthetic Fluorophlogopite	12003-38-2	234-426-5	0.1%-5%	Viscosity increasing agent
Tin Oxide*	18282-10-5	242-159-0	0.1%-5%	Opacifying Agent
Titanium Dioxide (CI 77891)*	13463-67-7	236-675-5	0.1%-5%	Opacifying Agent
Red 30 (CI 73360)*	2379-74-0	219-163-6	0.1%-5%	Cosmetic Colorant
Iron Oxide Red (CI 77491)*	1309-37-1	215-168-2	0.1%-5%	Cosmetic Colorant
Iron Oxide Yellow (CI 77492)*	51274-00-1	257-098-5	0.1%-5%	Cosmetic Colorant
Iron Oxide Black (CI 77499)*	12227-89-3	235-442-5	0.1%-5%	Cosmetic Colorant

\*formula may include

## **SAFETY DATA SHEET**

Astral – Pearlescent  
P01, P04, P07-P10



Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below

None known.

## **SECTION 4: FIRST AID MEASURES**

### **4.1 Description of First Aid Measures**

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Skin Contact:** Rinse thoroughly with water after contact. Seek medical attention if irritation develops or persists. Remove contaminated clothing. Clean contaminated clothing before re-use.

**Inhalation:** If symptoms develop, move victim to fresh air. Seek medical attention if symptoms persist.

**Ingestion:** If swallowed, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person.

### **4.2 Most Important Symptoms and Effects, Both Acute and Delayed**

**Most Important Symptoms and Effects:** Not expected to present a significant hazard under anticipated conditions of use.

### **4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.**

**Notes to Physician:** Treat symptomatically.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **5.1 Extinguishing Media**

**Suitable Extinguishing Media:** Water spray, foam, or dry chemical.

**Unsuitable Extinguishing Media:** None known

### **5.2 Special Hazards Arising from the Substance or Mixture**

**Special Hazard:** During fire, combustion gases hazardous to health may be formed. May polymerize when exposed to heat. Vapors are heavier than air and may accumulate in low-lying areas. Hazardous decomposition products can form under fire conditions, including carbon oxides, nitrogen oxides, and phosphorus oxides.

### **5.3 Advice for Firefighters**

**Special Protective Equipment for Firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1 Personal precautions, Protective Equipment, and Emergency Procedures**

**Personal Precautions:** No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering affected area. Evacuate surrounding areas. Put on appropriate personal protective equipment.  
Remove all sources of ignition. Provide enough ventilation. Use personal protective equipment.

**Advice for Emergency Responders:** Wear appropriate respirator when ventilation is inadequate.

## SAFETY DATA SHEET

Astral – Pearlescent  
P01, P04, P07-P10



### 6.2 Environmental Precautions

**Environmental Precautions:** Avoid dispersal of spilled material and runoff. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and Material for Containment and Cleaning Up

**Methods for Containment:** Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up:** Contain spill with an inert non-combustible absorbent material (e.g., dry sand or earth) and place in a chemical waste container for disposal according to local / national regulations (see section 13).

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for Safe Handling

**Precautions for Safe Handling:** Keep the container tightly closed when not in use to prevent contamination and avoid contact with the eyes. Wash hands thoroughly after handling, and do not eat, drink, or smoke while working with the product. The cured material is generally safe for direct contact; however, when handling the uncured liquid, use only in well-ventilated areas and avoid inhaling vapors or mists. Prevent contact with skin and eyes and always wear appropriate personal protective equipment (PPE).

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

**Storage:** Keep containers tightly closed. Store upright, out of direct sunlight, in a cool, dry, well-ventilated area. Polymerization happens when exposed to light.

**Incompatibilities:** None known.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters

**Occupational Exposure Values:** Not available

### 8.2 Exposure Controls

**Engineering Measures:** Ensure that a safety shower and an eye-wash station are readily accessible in the work area.

**PPE for Household Settings:** This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use. No special protective equipment required.

**PPE for Non-Household Settings:** Normal ventilation is generally sufficient; however, if a risk assessment indicates the need for additional protection, use a full-face air-purifying respirator equipped with multi-purpose combination cartridges (US) or ABEK-type cartridges compliant with EN 14387 as a supplement to engineering controls. Eye protection is not typically required under normal use, but appropriate protective eyewear should be worn if there is any risk of liquid entering the eyes. To avoid skin exposure, wear suitable chemical-resistant clothing when necessary, and ensure chemical-resistant gloves are used during production or whenever handling the material. Always follow good industrial hygiene and safety practices, including washing hands before breaks and at the end of the workday.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic Chemical and Physical Properties

**Physical State:** Liquid  
**Color:** Various  
**Odor:** Acrylite resin  
**Specific Gravity @ 25°C (77°F):** Not available

## **SAFETY DATA SHEET**

Astral – Pearlescent  
P01, P04, P07-P10



<b>pH:</b>	7.0
<b>Viscosity:</b>	1000.0 - 1500.0, mPa.s
<b>Flash Point:</b>	Not available
<b>Melting Point/Freezing Point:</b>	Not available
<b>Initial Boiling Point and Boiling Range:</b>	Not available
<b>Heat of Combustion:</b>	Not available
<b>Aerosol</b>	No
<b>Upper/Lower Flammability or Explosive</b>	Not available
<b>Vapor Pressure:</b>	Not available
<b>Vapor Density:</b>	Not available
<b>Odor Threshold:</b>	Not available
<b>Solubility in Water:</b>	Insoluble
<b>Evaporation Rate:</b>	Not available
<b>Flammability (solid, gas):</b>	Not available
<b>Partition Coefficient: n-octanol/water:</b>	Not available
<b>Auto-Ignition Temperature:</b>	Not available
<b>Decomposition Temperature:</b>	Not available
<b>Oxidizing Properties:</b>	Not available

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1 Reactivity**

No specific test data is available.

### **10.2 Chemical Stability**

Stable under recommended conditions.

### **10.3 Possibility of Hazardous Reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

### **10.4 Conditions to avoid**

Keep away from open flames, hot surfaces, sources of ignition. Do not expose to moisture or light.

### **10.5 Incompatible Materials**

Strong oxidizing materials

### **10.6 Hazardous Decomposition Products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1 Information on Toxicological Effects**

<b>Inhalation:</b>	May cause respiratory irritation if inhaling concentrated vapor.
<b>Skin Contact:</b>	May be harmful if absorbed by skin. May cause an allergic skin reaction.
<b>Ingestion:</b>	May be harmful if ingested.
<b>Eye Contact:</b>	Causes serious eye irritation.
<b>Acute Toxicity:</b>	No information available.
<b>Skin Corrosion / Irritation:</b>	May be harmful if absorbed by skin. May cause an allergic skin reaction
<b>Serious Eye Damage / Eye Irritation:</b>	Causes serious eye irritation.

**SAFETY DATA SHEET**Astral – Pearlescent  
P01, P04, P07-P10

<b>Skin Sensitization:</b>	May cause an allergic skin reaction.
<b>Respiratory Sensitization:</b>	No information available.
<b>Germ Cell Mutagenicity:</b>	No information available.
<b>Neurological Effects:</b>	No information available.
<b>Reproductive Toxicity:</b>	No information available.
<b>Developmental Toxicity:</b>	No information available.
<b>Teratogenicity:</b>	No information available.
<b>STOT - Single Exposure:</b>	No information available.
<b>STOT - Repeated Exposure:</b>	No information available.
<b>Target Organ Effects:</b>	No information available.
<b>Aspiration Hazard:</b>	No information available.
<b>Carcinogenicity:</b>	No information available.

**SECTION 12 ECOLOGICAL INFORMATION****12.1 Toxicity****Hazards:** No information available.**12.2 Persistence and Degradability****Persistence and Degradability:** No information available.**12.3 Bioaccumulative Potential****Bioaccumulative Potential:** No information available.**12.4 Mobility in Soil****Soil / Water Partition Coefficient:** No information available.**Mobility:** No information available.**12.5 Results of PBT and vPvB Assessment****PBT:** No information available.**vPvB:** No information available.**12.6 Other Adverse Effects****Other Adverse Effects:** May be harmful to aquatic life. Avoid release into drains or watercourses without prior authorization from local authorities.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste Treatment Methods****Disposal Methods:** Disposal should be in accordance with applicable regional, national and local laws and regulations.**Contaminated Packaging:** Disposal should be in accordance with applicable regional, national and local laws and regulations.**SECTION 14: TRANSPORT INFORMATION**

	<b>UN Number</b>	<b>Proper Shipping Name</b>	<b>Transportation Hazard Class</b>	<b>Packaging Group</b>	<b>Environmental Hazard</b>
<b>DOT</b>	Not regulated	- Not available	- Not available	- Not available	- Not available
<b>IMDG</b>	Not regulated	- Not available	- Not available	- Not available	- Not available
<b>IATA</b>	Not regulated	- Not available	- Not available	- Not available	- Not available
<b>TDG</b>	Not regulated	- Not available	- Not available	- Not available	- Not available

## SAFETY DATA SHEET

Astral – Pearlescent  
P01, P04, P07-P10



# SECTION 15: REGULATORY INFORMATION

## 15.1 US Federal Regulations

**TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):**

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

**SARA 313:**

Not applicable for consumer use.

**CERCLA:**

This material does not contain any components with a CERCLA RQ.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):**

Not applicable for consumer use.

**U.S. State Regulations (RTK):**

Not applicable for consumer use.

**Food and Drug Administration (FDA):**

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

**California Proposition 65:**

Based on the available information provided about the formulation, this product does not require a California Proposition 65 warning

# SECTION 16: OTHER INFORMATION

## **Legend:**

CAS = Chemical Abstracts Service

REL = Recommended Exposure Limit

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

SARA = Superfund Amendments and Reauthorization Act

DOT = Department of Transportation (USA)

STEL = Short Term Exposure Limit

GHS = Globally Harmonized System of Classification

STOT = Specific Target Organ Toxicity

IATA = International Air Transport Association

TDG = Transportation of Dangerous Goods

IMDG = International Maritime Dangerous Goods

TLV = Threshold Limit Value

NIOSH = National Institute for Occupational Safety and Health

TSCA = Toxic Substances Control Act

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Average

PBT = Persistent bioaccumulative and Toxic

vPvB = very Persistent and very Bio-accumulative

PEL = Permissible Exposure Limit

PPE = Personal Protective Equipment

**Issuing Date:** 3/17/2026

**Revision Date:**

**Version:** 1

## **Disclaimer:**

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

**End of SDS**