



SAFETY DATA SHEET

aprés
CREATOR OF GEL-X®

SECTION 1: FORMULA AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: Color Soft Gel Builder
Product Code(s): RM-SGBWHISPER, RM-SGBSWOON, RM-SGBGLOW, RM-SGBBLUSH, RM-SGBT TOUCH
Color Numbers: 01-05

1.2 Recommended Use

Recommended Use: Cosmetic/Personal Care – Gel Polish

1.3 Supplier Details

Supplier: Applied Lacquer Industries Inc.
Address: 16839 Gale Ave, City of Industry, CA 91745

1.4 Emergency Contact

Emergency Contact Phone Number: 626-581-1894

1.5 Manufacturer Details

Manufacturer: Weihao Industries Inc.
Address: 15151 Don Julian Rd, City of Industry, CA 91745

SECTION 2: HAZARDS IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

2.1 Classification of the Substance or Mixture

OSHA/HCS Status: This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification: Skin Irritation – Category 2
Skin Sensitization – Category 1
Eye Irritation – Category 2A

2.2 GHS Label Elements

SAFETY DATA SHEET

Color Soft Gel Builder

Colors 01-05

**Hazard Pictograms:****Signal Word:**

Warning

Hazard Statements:

(H315) Causes skin irritation

(H317) May cause an allergic skin reaction

(H319) Causes serious eye irritation

Precautionary Statements**General:**

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P103) Read label before use.

Prevention:

(P261) Avoid breathing dust/fume/gas/mist/vapors/spray

(P264) Wash hands and exposed skin thoroughly after handling

(P270) Do not eat, drink or smoke when using this product

(P272) Contaminated work clothing should not be allowed out of the workplace

(P280) Wear protective gloves/protective clothing/eye protection/face protection

Response:

(P302+P352) IF ON SKIN: Wash with plenty of water

(P333+P313) If skin irritation or rash occurs: Get medical advice/attention

(P337+P313) If eye irritation persists: Get medical advice/attention

(P362+P364) Take off contaminated clothing and wash it before reuse

(P305+P351+P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage:

(P405) Store locked up

Disposal:

(P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other Hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture**Non-hazardous materials:**

Formula May Include *

Chemical Name	CAS Number	EC Number	Percent	Function
Polyurethane-80	139352-65-1	Not Available	55-65%	Artificial Nail Builder
Silica	7631-86-9	231-545-4	1-5%	Dispersing Agent
Dimethicone	9006-65-9	Not Available	0.1-1%	Occlusive Solvent
Titanium Dioxide (CI 77891) *	13463-67-7	236-675-5	0.1-5%	Cosmetic Colorant
Iron Oxides (CI 77491) *	1309-37-1	215-721-8	0.1-5%	Cosmetic Colorant
Iron Oxides (CI 77492) *	51274-00-1	215-722-3	0.1-5%	Cosmetic Colorant

Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below

Chemical Name	CAS Number	EC Number	Percent	Function	Hazard Classification
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	25-30%	Artificial Nail Builder	Skin Sensitization – Category 1 (H317)

SAFETY DATA SHEET

Color Soft Gel Builder

Colors 01-05



Hydroxycyclohexyl Phenyl Ketone	947-19-3	213-426-9	1-5%	Artificial Nail Builder	Skin Sensitization – Category 1 (H317)
Methacryloylethyl Phosphate	52628-03-2	258-053-2	1-5%	Artificial Nail Builder	Skin Irritation – Category 2 (H315) Skin Sensitization – Category 1 (H317) Eye Irritation – Category 2A (H319)

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact:	Rinse thoroughly with plenty of water. Seek medical attention if irritation or allergic reaction develops.
Inhalation:	If symptoms develop, move victim to fresh air. Seek medical attention if symptoms persist.
Ingestion:	If swallowed, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and Effects:	May cause skin irritation, allergic skin reaction, and eye irritation. Repeated skin contact may increase likelihood of sensitization. See Section 11 for full toxicological information. Acute Effects: Skin contact may cause redness, itching, or irritation (H315). Eye contact may cause redness, tearing, and irritation (H319). Skin contact may also trigger an allergic reaction including rash, hives, or persistent itching in sensitized individuals (H317). Delayed Effects: Repeated or prolonged skin contact may increase the likelihood of sensitization. Sensitized individuals may experience progressively more severe allergic reactions upon re-exposure.
---	---

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.

Notes to Physician:	Treat symptomatically. If skin sensitization is suspected, patch testing may be appropriate.
----------------------------	--

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media:	Carbon dioxide, foam, dry chemical.
Unsuitable Extinguishing Media:	Do not use a direct water jet, as this may spread burning material and intensify the fire. Water mist may be used to cool exposed containers if safe to do so.

5.2 Special Hazards Arising from the Substance or Mixture

Special Hazard:	Combustion may produce hazardous gases including carbon oxides and irritating vapors. Avoid inhalation of smoke and combustion byproducts.
------------------------	--

5.3 Advice for Firefighters

Special Protective Equipment for Firefighters:	Wear self-contained breathing apparatus (SCBA) and full protective gear. Contain and prevent firewater runoff from entering drains or waterways.
---	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Protective Equipment, and Emergency Procedures

Personal Precautions:	Wear appropriate PPE. Keep unprotected personnel away from the affected area.
Advice for Emergency Responders:	Use SCBA if vapor or mist concentrations cannot be controlled with adequate ventilation.



6.2 Environmental Precautions

Environmental Precautions: Prevent runoff into drains, waterways, or soil. Keep spilled material away from UV light sources to prevent uncontrolled curing.

6.3 Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent product from entering drains or waterways. Keep away from UV light sources.

Methods for Clean-Up: Wear PPE. Absorb with dry sand or earth. Dispose of in accordance with local regulations (see Section 13).

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Precautions for Safe Handling: Keep container closed when not in use. Avoid skin and eye contact. Wear protective gloves and eye protection. Wash hands thoroughly after handling. Keep away from UV light sources. Ensure adequate ventilation.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep containers tightly closed and store upright in a cool, dry, well-ventilated area away from direct sunlight and all UV light sources. Store at temperatures between 5°C and 25°C (41°F and 77°F). Do not store near heat sources, open flames, or oxidizing agents. Keep away from strong acids and bases.

Incompatibilities: Strong oxidizing agents, strong acids, strong bases, and UV light sources. Exposure to UV light may initiate uncontrolled polymerization.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Values:

Chemical Name	CAS Number	Basis	Form of Exposure	Permissible Concentration
Hydroxypropyl Methacrylate	27813-02-1	NIOSH REL	TWA	None Established
		OSHA PEL	TWA	None Established
Hydroxycyclohexyl Phenyl Ketone	947-19-3	NIOSH REL	TWA	None Established
		OSHA PEL	TWA	None Established
Methacryloylethyl Phosphate	52628-03-2	NIOSH REL	TWA	None Established
		OSHA PEL	TWA	None Established

8.2 Exposure Controls

Engineering Measures:

Use in a well-ventilated area.

PPE for Household Settings:

Avoid direct skin and eye contact with the uncured product. Wash hands thoroughly after use. Sensitized individuals should discontinue use and consult a physician.

PPE for Non-Household Settings:

Safety glasses or chemical splash goggles; nitrile gloves; NIOSH-approved organic vapor respirator if ventilation is inadequate. Wash hands and exposed skin after handling.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Chemical and Physical Properties

Physical State:	Liquid
Color:	Various
Odor:	Acrylate Resin
Specific Gravity @ 25°C (77°F):	Not available
pH:	7.0
Viscosity:	1000.0 - 1500.0, mPa.s
Flash Point:	>100°C
Melting Point/Freezing Point:	Not available
Initial Boiling Point and Boiling Range:	Not available
Heat of Combustion:	Not available
Aerosol	No
Upper/Lower Flammability or Explosive	Not available
Vapor Pressure:	Not available
Vapor Density:	Not available
Odor Threshold:	Not available
Solubility in Water:	Insoluble
Evaporation Rate:	Not available
Flammability (solid, gas):	Not available
Partition Coefficient: n-octanol/water:	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Oxidizing Properties:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions. May undergo polymerization upon UV exposure.

10.2 Chemical Stability

Stable when stored as directed. See Section 7.

10.3 Possibility of Hazardous Reactions

None under normal conditions of storage and use.

10.4 Conditions to avoid

UV light, heat, open flames, sparks, oxidizing agents, strong acids and bases.

10.5 Incompatible Materials

Strong oxidizing agents, strong acids and bases, free-radical initiators, UV light sources.

10.6 Hazardous Decomposition Products

None under normal conditions. See Section 5 for fire condition decomposition products.

SECTION 11: TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

Color Soft Gel Builder

Colors 01-05



11.1 Information on Toxicological Effects

Inhalation:	Vapors may cause respiratory tract irritation. Remove to fresh air if symptoms develop. Seek medical attention if symptoms persist.
Skin Contact:	May cause skin irritation and allergic skin reaction. Repeated contact may cause sensitization. Sensitization is irreversible.
Ingestion:	Not a likely route of exposure. If swallowed, do not induce vomiting. Seek medical attention.
Eye Contact:	Causes serious eye irritation. Rinse cautiously with water for several minutes. Seek medical attention if irritation persists.
Acute Toxicity:	No acute toxicity classification assigned for this mixture.
Skin Corrosion / Irritation:	Classified as a skin irritant (H315). Not classified as a skin corrosive.
Serious Eye Damage / Eye Irritation:	Classified as causing serious eye irritation (H319). Not classified as causing serious irreversible eye damage.
Skin Sensitization:	Classified as a skin sensitizer (H317). Sensitization is irreversible. Sensitized individuals should avoid further exposure.
Respiratory Sensitization:	No respiratory sensitization classification assigned. Ensure adequate ventilation during use.
Germ Cell Mutagenicity:	No information available.
Neurological Effects:	No information available.
Reproductive Toxicity:	No information available.
Developmental Toxicity:	No information available.
Teratogenicity:	No information available.
STOT - Single Exposure:	Not classified.
STOT - Repeated Exposure:	Not classified. See Skin Sensitization above.
Target Organ Effects:	Skin and eyes.
Aspiration Hazard:	Not classified.
Carcinogenicity:	Not classified as a carcinogen under OSHA HazCom 2012, NTP, or IARC criteria.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Hazards: Not tested as a mixture. Prevent product from entering drains, waterways, or soil.

12.2 Persistence and Degradability

Persistence and Degradability: No data available for the mixture as a whole.

12.3 Bioaccumulative Potential

Bioaccumulative Potential: No data available. Significant bioaccumulation is not anticipated.

12.4 Mobility in Soil

Soil / Water Partition Coefficient: No specific data available for the mixture.

Mobility: Viscous liquid with limited mobility in soil. Prevent entry into drains and waterways.

12.5 Results of PBT and vPvB Assessment

PBT: Not PBT.

vPvB: Not vPvB.

12.6 Other Adverse Effects

Other Adverse Effects: Prevent release to the environment. UV exposure may cause uncontrolled polymerization of spilled material.

SECTION 13: DISPOSAL CONSIDERATIONS



13.1 Waste Treatment Methods

Disposal Methods: Dispose of contents and container in accordance with applicable local, regional, national, and international regulations. Uncured product should be considered potentially hazardous waste.

Contaminated Packaging: Treat as hazardous waste. Do not reuse. Dispose in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
DOT	Not regulated	-	-	-	-
IMDG	Not regulated	-	-	-	-
IATA	Not regulated	-	-	-	-
TDG	Not regulated	-	-	-	-

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

SARA 313:

Not applicable for consumer use.

CERCLA:

This material does not contain any components with a CERCLA RQ.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):

Not applicable for consumer use.

U.S. State Regulations (RTK):

Not applicable for consumer use.

Food and Drug Administration (FDA):

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

California Proposition 65:

This product contains the following chemical(s) listed on Prop 65: Titanium Dioxide (CI 77891, CAS 13463-67-7) and Silica (CAS 7631-86-9). These substances are listed under Proposition 65 exclusively for the route of exposure via inhalation of airborne dust or particulates. In this formulation, both ingredients are present in a viscous gel matrix. Under normal conditions of use as a UV gel product, neither ingredient is expected to become airborne. Accordingly, this product does not require a Proposition 65 warning label for consumer use as directed. If sanding, filing, or grinding of the cured product generates airborne dust, adequate ventilation and respiratory protection should be used to minimize inhalation exposure.

SECTION 16: OTHER INFORMATION

Legend:

CAS = Chemical Abstracts Service

REL = Recommended Exposure Limit

CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act

SARA = Superfund Amendments and Reauthorization Act

DOT = Department of Transportation (USA)

STEL = Short Term Exposure Limit

GHS = Globally Harmonized System of Classification

STOT = Specific Target Organ Toxicity

IATA = International Air Transport Association

TDG = Transportation of Dangerous Goods

TLV = Threshold Limit Value

SAFETY DATA SHEET

Color Soft Gel Builder

Colors 01-05



IMDG = International Maritime Dangerous Goods

NIOSH = National Institute for Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

PBT = Persistent bioaccumulative and Toxic

PEL = Permissible Exposure Limit

PPE = Personal Protective Equipment

TSCA = Toxic Substances Control Act

TWA = Time-Weighted Average

vPvB = very Persistent and very Bio-accumulative

Issuing Date: 05/13/2026

Revision Date:

Version: 1

Disclaimer:

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

End of SDS