



SAFETY DATA SHEET

après
CREATOR OF GEL-X®

SECTION 1: FORMULA AND COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: Non-Acidic Gel Primer
Product Code(s): RM-PRIMERB15

1.2 Recommended Use

Recommended Use: Cosmetic/Personal Care - UV Gel Polish – Mainly used in manicure and nail adhesion

1.3 Supplier Details

Supplier: Applied Lacquer Industries Inc.
Address: 16839 Gale Ave, City of Industry, CA 91745

1.4 Emergency Contact

Emergency Contact Phone Number: 626-581-1894

1.5 Manufacturer Details

Supplier: Weihao Industries Inc.
Address: 15151 Don Julian Rd, City of Industry, CA 91745

SECTION 2: HAZARDS IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling and proper use of the formula.

Please note that the hazard classification provided in the SDS reflects workplace hazard communication requirements as defined under applicable regulations (OSHA). Consumer product labeling, however, must comply with the relevant consumer regulations, which may differ in scope and criteria.

2.1 Classification of the Substance or Mixture

OSHA/HCS Status: This material is considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification: Specific Target Organ Toxicity – Single Exposure – Category 3 (Respiratory tract irritation)
Specific Target Organ Toxicity – Single Exposure – Category 3 (Narcotic effects)
Skin Irritation - Category 2
Flammable Liquids - Category 2

2.2 GHS Label Elements

Hazard Pictograms:



Signal Word:

Danger

Hazard Statements:

(H225) Flammable liquid and vapor.
(H315) Causes skin irritation.
(H335) May cause respiratory irritation.
(H336) May cause drowsiness or dizziness.

Precautionary Statements

General:

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P103) Read label before use.

Prevention:

(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
(P233) Keep container tightly closed.
(P240) Ground and bond container and receiving equipment.
(P241) Use explosion-proof equipment.
(P242) Use non-sparking tools.
(P243) Take action to prevent static discharges.
(P261) Avoid breathing dust/fume/gas/mist/vapors/spray.
(P264) Wash hands thoroughly after handling.
(P271) Use only outdoors or in a well-ventilated area.
(P280) Wear protective gloves, protective clothing and eye or face protection.

Response:

(P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
(P353 + P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.
(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
(P312) Call a POISON CENTER if you feel unwell.
(P321) Specific treatment see ... on this label.
(P332 + P313) If skin irritation occurs: Get medical advice/attention.
(P370 + P378) In case of fire: Use water spray for extinction.

Storage:

(P403 + P233) Store in a well-ventilated place. Keep container tightly closed.
(P403 + P235) Store in a well-ventilated place. Keep cool.
(P405) Store locked up.

Disposal:

(P501) Dispose of contents and container in accordance with all local, regional, national and international regulations.

2.3 Other Hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture

Non-Hazardous Ingredients:

INCI	CAS #	EC #	Concentration	Function
Violet 2 (CI 60725)	81-48-1	201-353-5	<1%	Cosmetic Colorant

Only hazardous constituents, in accordance with OSHA Hazard Communication Standard (29 CFR 1910.1200) associated with the product are listed below



Chemical Name	CAS #	EC #	Function	Percent	Hazard Classification
Ethyl Acetate	141-78-6	205-500-4	Solvent	60%-100%	Specific Target Organ Toxicity - Single Exposure - Category 3 Flammable Liquids - Category 2
Trimethylolpropane Trimethacrylate	3290-92-4	221-950-4	Artificial Nail Builder	20%-30%	Skin Irritation - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	Artificial Nail Builder	5%-10%	Skin Irritation - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3

SECTION 4: FIRST AID MEASURES

4.1 Description of First Aid Measures

General:	In case of accident or unwellness, seek medical advice immediately. Do not leave affected person unattended. Remove victim out of the dangerous area. Keep affected person warm, still and covered. Remove the affected person from the danger zone and lay down.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Protect unharmed eye.
Skin Contact:	Remove all contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of soap and water. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.
Inhalation:	Remove person to fresh air and keep them comfortable for breathing. If the victim is unconscious but breathing normally, place them in a recover position and seek medical advice. No resuscitation mouth to mouth or mouth to nose. Use a mask or respirator.
Ingestion:	IF SWALLOWED: rinse mouth, do not induce vomiting. Clean mouth with water. Call a physician or a poison control center. Never give anything by mouth to an unconscious person or person with cramps. Do NOT induce vomiting.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and Effects:	Not expected to present a significant hazard under anticipated conditions of use. The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
---	--

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed.

Notes to Physician:	Treat symptomatically.
----------------------------	------------------------

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing

Media:	Foam, Extinguishing powder, carbon dioxide (CO ₂), Sand
---------------	---

Unsuitable Extinguishing

Media:	Strong water jet.
---------------	-------------------

5.2 Special Hazards Arising from the Substance or Mixture

Special Hazard:	During fire, combustion gases hazardous to health may be formed. Do not inhale vapors and fumes. Co-ordinate fire-fighting measures to the fire surroundings. Move undamaged containers from immediate hazard area if it can be done safely. Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
------------------------	--

5.3 Advice for Firefighters

Special Protective Equipment for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering affected area. Use personal protection equipment. Remove persons to safety. Provide adequate ventilation. Use appropriate respiratory protection.

Advice for Emergency Responders: Use personal protection equipment. Remove persons to safety. Provide adequate ventilation. Use appropriate respiratory protection. Ensure that waste is collected and contained. Contain leaks or spills within cabinets with removable trays. Treat the recovered material as prescribed in the section on waste disposal. Collect in closed and suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Ventilate affected area. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wipe up with absorbent material (eg. cloth, fleece).

6.2 Environmental Precautions

Environmental Precautions: Avoid dispersal of spilled material and runoff. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Ensure that waste is collected and contained. Contain leaks or spills within cabinets with removable trays.

6.3 Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Treat the recovered material as prescribed in the section on waste disposal. Collect in closed and suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Ventilate affected area.

Methods for Clean-Up: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wipe up with absorbent material (eg. cloth, fleece).

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for Safe Handling

Precautions for Safe Handling: Use only outdoors or in a well-ventilated area. Avoid contact with skin, eyes and clothes. Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire. Use only in well-ventilated areas. If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Provide earthing of containers, equipment, pumps and ventilation facilities. Take precautionary measures against static discharges. Wear protective personal clothing (see section 8). Provide adequate ventilation as well as local exhaustion at critical locations. Vapors/aerosols should be exhausted directly at the point of origin. Avoid breathing gas/fumes/vapor/spray. Wash hands before breaks and after work. Remove contaminated, saturated clothing immediately. Wash contaminated clothing before reuse. Work in well-ventilated zones or use proper respiratory protection.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep containers tightly closed. Store upright, out of direct sunlight, in a cool, dry, well-ventilated area. Keep away from heat and sources of ignition. Keep away from food, drink and animal feed. Keep away from clothing and other combustible materials. Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances. Ensure adequate ventilation of the storage area. Ground/bond container and receiving equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



Store locked up. Keep away from food, drink and animal feed. Keep away from clothing and other combustible materials. Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances. Use explosion-proof electrical/ventilating/lighting/.../equipment.
Use only non-sparking tools.

Incompatibilities:

None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Occupational Exposure Values:

Chemical Name	CAS Number	Basis	Form of Exposure	Permissible Concentration
Ethyl Acetate	141-78-6	ACGIH TLV	TWA	400 ppm
		Cal OSHA PEL	TWA	400 ppm
		NIOSH REL	TWA	400 ppm
		OSHA PEL	TWA	1400 mg/m3
		OSHA PEL	TWA	400 ppm

8.2 Exposure Controls

Engineering Measures:

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaust at critical locations.

PPE for Household Settings:

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use. No special protective equipment required.

PPE for Non-Household Settings:

Skin protection: Wear protective gloves. Suitable material - NBR (nitrile rubber). Do not wear gloves near machines and rotating tools. Use gloves only once.

Body protection: Wear suitable protective clothing such as a lab coat.

Respiratory protection: If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Chemical and Physical Properties

Physical State:	Liquid
Color:	Clear
Odor:	Ester
Specific Gravity @ 25°C (77°F):	Not available
pH:	Not available
Viscosity:	Not available
Flash Point:	-18 °C
Melting Point/Freezing Point:	Not available
Initial Boiling Point and Boiling Range:	Not available
Heat of Combustion:	Not available
Upper/Lower Flammability or Explosive	Not available

SAFETY DATA SHEET

Non-Acidic Gel Primer

RM-PRIMERB15



Vapor Pressure:	Not available
Vapor Density:	> 1(AIR = 1)
Odor Threshold:	Not available
Solubility in Water:	Soluble
Evaporation Rate:	Not available
Flammability (solid, gas):	Not available
Partition Coefficient: n-octanol/water:	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Oxidizing Properties:	Not available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data is available.

10.2 Chemical Stability

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Extremely high or low temperatures.

10.5 Incompatible Materials

No specific test data is available.

10.6 Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Inhalation:	(H335) May cause respiratory irritation.
Skin Contact:	(H315) Causes skin irritation.
Ingestion:	No information available.
Eye Contact:	No information available.
Acute Toxicity:	No information available.
Skin Corrosion / Irritation:	(H315) Causes skin irritation.
Serious Eye Damage / Eye Irritation:	No information available.
Skin Sensitization:	(H315) Causes skin irritation.
Respiratory Sensitization:	(H335) May cause respiratory irritation.
Germ Cell Mutagenicity:	No information available.
Neurological Effects:	No information available.
Reproductive Toxicity:	No information available.
Developmental Toxicity:	No information available.
Teratogenicity:	No information available.

SAFETY DATA SHEET

Non-Acidic Gel Primer

RM-PRIMERB15



STOT - Single Exposure: (H335) May cause respiratory irritation.
(H336) May cause drowsiness or dizziness.

STOT - Repeated Exposure: No information available.

Target Organ Effects: No information available.

Aspiration Hazard: No information available.

Carcinogenicity: No information available.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Hazards: No information available.

12.2 Persistence and Degradability

Persistence and Degradability: No information available.

12.3 Bioaccumulative Potential

Bioaccumulative Potential: No information available.

12.4 Mobility in Soil

Soil / Water Partition Coefficient: No information available.

Mobility: No information available.

12.5 Results of PBT and vPvB Assessment

PBT: No information available.

vPvB: No information available.

12.6 Other Adverse Effects

Other Adverse Effects: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Disposal Methods: Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

	UN Number	Proper Shipping Name	Transportation Hazard Class	Packaging Group	Environmental Hazard
DOT	1993	-FLAMMABLE LIQUID, N.O.S. (Vapor pressure at 50 C not more than 110 kPa)	3	II	No
IMDG	1993	-FLAMMABLE LIQUID, N.O.S. (Vapor pressure at 50 C not more than 110 kPa)	3	II	No
IATA	1993	-FLAMMABLE LIQUID, N.O.S. (Vapor pressure at 50 C not more than 110 kPa)	3	II	No
TDG	1993	-FLAMMABLE LIQUID, N.O.S. (Vapor pressure at 50 C not more than 110 kPa)	3	II	No



SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

TSCA 8(a) CDR Exempt/Partial Exemption/United States Inventory TSCA 8(b):

All components of this product are listed, exempted, or excluded from listing on the U.S. Toxic Substances Control Act chemical substance inventory.

SARA 313:

Not applicable for consumer use.

CERCLA:

This material does not contain any components with a CERCLA RQ.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61):

Not applicable for consumer use.

U.S. State Regulations (RTK):

Not applicable for consumer use.

Food and Drug Administration (FDA):

The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).

California Proposition 65:

Based on the available information provided about the formulation, this formula does not contain an ingredient listed on Prop 65.

SECTION 16: OTHER INFORMATION

Legend:

CAS = Chemical Abstracts Service
CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act
DOT = Department of Transportation (USA)
GHS = Globally Harmonized System of Classification
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
NIOSH = National Institute for Occupational Safety and Health
OSHA = Occupational Safety and Health Administration
PBT = Persistent bioaccumulative and Toxic
PEL = Permissible Exposure Limit
PPE = Personal Protective Equipment

REL = Recommended Exposure Limit
SARA = Superfund Amendments and Reauthorization Act
STEL = Short Term Exposure Limit
STOT = Specific Target Organ Toxicity
TDG = Transportation of Dangerous Goods
TLV = Threshold Limit Value
TSCA = Toxic Substances Control Act
TWA = Time-Weighted Average
vPvB = very Persistent and very Bio-accumulative

Issuing Date: 02/09/2026

Revision Date: 09/08/2026

Version: 3

Disclaimer:

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information presented herein is believed to be true and accurate. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this product needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. We assume no liability for incidental, consequential, or direct damages of any kind, no matter what the cause.

End of SDS