

Just Blue, 16 mg

Product Code:

452

Lot/Batch #:

45225042 (JSTBLU-20250409)

Date of Manufacture:

05/2025

EXP Date:

05/2027

| Test | Method | Release Specifications | Results |
|--|---------------------------|--|----------|
| Appearance | Physical Characterization | Dark blue Color, opaque, wax like cubes | Conforms |
| Average product weight | | 550mg ±10% | Conforms |
| Size | | 11.0 x 10.0 x 4.5mm | Conforms |
| Identification A | HPLC-PDA | The UV spectrum of the major peak of the Sample solution corresponds to that of the Standard solution, as obtained in the Assay. | Conforms |
| Identification B | HPLC-UV | The retention time of the major peak of the <i>Sample solution</i> corresponds to that of the <i>Standard solution</i> , as obtained in the <i>Assay</i> . | Conforms |
| Assay | HPLC-UV | NLT 90% | 100% |
| Heavy Metals Arsenic | USP <2232> | NMT 10 ppm | <0.02 |
| Cadmium | | NMT 10 ppm | <0.02 |
| Lead | | NMT 10 ppm | <0.02 |
| Mercury | | NMT 10 ppm | <0.02 |
| Microbial Limit Tests Total Aerobic Microbial Count | USP <2021>, <2022> | NMT 10,000 cfu/g | <10 |
| Total Yeasts and Molds Count | | NMT 1,000 cfu/g | <10 |
| Escherichia coli | | Absent | Absent |
| Salmonella SPP | | Absent | Absent |
| Staphylococcus aureus | | Absent | Absent |

Comments: This material complies with the specifications set forth in SPC-452-001-002.

Prepared By: \(\)
Date:

Approved By (QA): Waher Shall Date: 05/09/25

[COA-452-040-00]

Vici Health Sciences LLC, 6655 Amberton Drive Unit N&O, Elkridge MD 21075.

Phone: (410) 379-1500, Fax: 443-445-6813