



TEST REPORT

MAKEDO PTY LTD

Technical Report: (3224)304-0331

Nov.01,2024

Date Received: Oct.30,2024

Page 1 of 10

MAKEDO PTY LTD
4 PATERSON ST ABBOTSFORD VICTORIA AUSTRALIA 3067

SAMPLE INFORMATION:

Sample Description:	SAW BLADE	Sample Quantity:	N/A
Vendor:	N/A	Style No(s):	N/A
Manufacturer:		SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	NOT PROVIDED	Ref #:	N/A
Appropriate Age Grade:	N/A	Country of Origin:	CHINA
Client Specified Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
Tested Age Grade:	OVER 3 YEARS OF AGE	Country of Destination:	EU, UK, USA, SOUTH AMERICA, THE MIDDLE EAST, ASIA, ISRAEL, AUSTRALIA, CANADA, NEW ZEALAND
UPC Code:	N/A	Color :	N/A

EXECUTIVE SUMMARY:

TEST REQUESTED	CONCLUSION
The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.	PASS SEE NOTE 2
The mechanical hazards requirements of ASTM F963-23, "Standard consumer safety specification for toy safety.	PASS
The labeling requirements of ASTM F963-23, "Standard consumer safety specification for toy safety.	SEE NOTE 3

Note:

- The sample is tested as " OVER 3 YEARS OF AGE " per the client' s request .
- No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of this European Standard, "Safety of toys" , EN71: Part 1:2014+A1:2018, clauses 7, was not conducted.
- No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of ASTM F963-17, was not conducted.

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd
1F west of east, 7F east, 8F, Building 5
No.66 Qinyi Road, Ningbo, Zhejiang, China
Tel:86-574-87091333, Fax:86-574-87971038
website:cps.bureauveritas.com



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**BUREAU
VERITAS**

MAKEDO PTY LTD
Technical Report: **(3224)304-0331**
Nov.01,2024
Page 2 of 10

BVCPS (ZHEJIANG) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO. : 86-574-87091330 / 87091375
E-MAIL : allen.he@bureauveritas.com;lilyli.li@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd

Seb wang
LAB Manager
(HARDLINE AND TOY DIVISION)



APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1:2014+A1:2018, European Union Guidance Documents, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines and Age Determination Guidelines: Relating Children's Ages to Toy Characteristics and Play Behavior, September, 2002

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause
M	The samples are IN COMPLIANCE WITH the requirement of this Subclause
N/A	Not Applicable
NR	Not Requested
NE	Not Evaluated
NP	None Present
P	Present
R	Refer to Comment Section of this report

Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



**BUREAU
VERITAS**

MAKEDO PTY LTD
 Technical Report: **(3224)304-0331**
 Nov.01,2024
 Page 4 of 10

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	N/A
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth actuated toys and other toys intended to be put in the mouth	N/A
4.12 & 7.3	Balloons	N/A
4.13 & 7.9	Cord of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2 & 7.8	Masks and helmets	N/A
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	N/A
4.15.1.3	Toys propelled by child – Strength	N/A
4.15.1.4	Toys propelled by child – Stability	N/A
4.15.1.5	Toys propelled by child – Braking	N/A
4.15.1.6	Toys propelled by child - Transmission	N/A
4.15.1.7	Toys propelled by child – insertion mark	N/A
4.15.1.8	Electrically-driven ride-on toys	N/A
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	N/A
4.15.2.3	Toy bicycles – Braking	N/A
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	N/A
4.15.4 & 7.16	Toys not propelled by child	N/A
4.15.5 & 7.18	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.2	All projectiles	N/A
4.17.3 & 7.7	Projectile toys with stored energy	N/A
4.17.4 & 7.26	Certain projectile toys without stored energy	N/A
4.18 & 7.4	Aquatic toys and inflatable toys	N/A
4.19 & 7.13 & 7.14	Percussion caps	N/A
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	N/A



**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22 & 7.2	Small balls	N/A
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	N/A
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo ball	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27.1	Flying toys – General	N/A
4.27.2 & 7.25.1	Rotors and propellers on flying toys	N/A
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	N/A
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	N/A
5.1a	Small parts – as received	N/A
5.1b	Small parts, sharp points, sharp edges – after tests	N/A
5.1c	Cross section <2mm metal points & wires	N/A
5.1e	Toys contain glue	N/A
5.1f	Casing of toys	N/A
5.2	Fillings, coverings and seams	N/A
5.3	Adhesion of plastic sheeting	N/A
5.4.2	Cords and chains in toys intended for children under 18 months	N/A
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	N/A
5.4.4	Fixed loops, tangled loops and nooses	N/A
5.4.5	Cords and chains on pull along toys	N/A
5.4.6 & 7.21	Electrical cables	N/A
5.4.7	Cross-sectional dimension of certain cords	N/A
5.4.8	Self-retracting cords	N/A
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	N/A
5.5 & 7.12	Liquid filled toys	N/A
5.6	Electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size	N/A
5.9 & 7.17	Monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15 & 7.24	Sledges with cords for pulling	N/A
6	Packaging	N/A



**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1:2014+A1 :2018)**

Subclause	Requirement	Result
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	SEE NOTE 2
7.2	Toys not intended for children under 36 months	SEE NOTE 2
7.5	Functional toys	SEE NOTE 2

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.3	8.25.1	4.14.2	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12	4.17.3	8.24.1	5.3	8.4.2.1, 8.25
4.5	8.5, 8.7, 8.11, 8.12	4.15.1.3	8.11, 8.12, 8.21, 8.22	4.17.4	8.24.2	5.4	8.20, 8.36, 8.38, 8.39, 8.40
4.6	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14	4.15.1.4	8.23.1	4.18	8.2, 8.3, 8.4.2.1	5.5	8.15
4.7	8.11	4.15.1.5	8.26.1	4.20	8.28	5.6	8.29
4.8	8.12, 8.13	4.15.1.8	8.29	4.21	8.30	5.8	8.16
4.9	8.4.2.3, 8.11, 8.12	4.15.2.4	8.26.2	4.22	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32	5.10	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32
4.10.1	8.18.2, 8.18.3	4.15.3	8.21, 8.23.1	4.23	8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35	5.11	8.33
4.10.2	8.5, 8.6, 8.7, 8.11, 8.12	4.15.4	8.21, 8.23.1	4.24	8.37	5.12	8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9,
4.11	8.2, 8.3, 8.4.2.1, 8.9, 8.17	4.15.5	8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27	4.25	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1	5.13	8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32
4.13	8.19	4.16	8.23.2	5.1	8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12		
4.14.1	8.31.1, 8.31.2	4.17.1	8.4.2.3				



**BUREAU
VERITAS**

MAKEDO PTY LTD
Technical Report: **(3224)304-0331**
Nov.01,2024
Page 7 of 10

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-23, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request BVCPS to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Drop	4x3 ft	1500.53(b)
Torque	4 in-lbs	1500.53(e)
Tension	15 lbs	1500.53(f)



**BUREAU
VERITAS**

MAKEDO PTY LTD
Technical Report: **(3224)304-0331**
Nov.01,2024
Page 8 of 10

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-23)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearances and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-23)

Section	Requirement	Result
5.1.2	Tracking label	SEE NOTE 3
5.4 & 5.3	Aquatic Toys	SEE NOTE 3
5.5 & 5.3	Crib and Playpen Toys	SEE NOTE 3
5.6 & 5.3	Mobiles	SEE NOTE 3
5.7 & 5.3	Stroller and Carriage Toys	SEE NOTE 3
5.8 & 5.3	Toys Intended to be Assembled by an Adult	SEE NOTE 3
5.9 & 5.3	Simulated Protective Devices	SEE NOTE 3
5.10 & 5.3	Toys with Functional Sharp Edges or Sharp Points	SEE NOTE 3
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	SEE NOTE 3
5.12	Art Materials (16 CFR 1500.14(b)(8))	SEE NOTE 3
5.14	Battery-Operated Toys (exclude 5.14.1 and 5.14.2)	SEE NOTE 3
5.14.1&5.3	Battery-Powered Ride-On Toys	SEE NOTE 3
5.14.2 & 5.3	Button or Coin Cell Batteries	SEE NOTE 3
5.15	Promotional Materials	SEE NOTE 3
5.16	Magnets	SEE NOTE 3
6.1	Definition and Description	SEE NOTE 3
6.2	Crib and Playpen Toys	SEE NOTE 3
6.3	Mobiles	SEE NOTE 3
6.4 & 5.3	Toys Intended to be Assembled by an Adult	SEE NOTE 3
6.5	Battery-Operated Toys	SEE NOTE 3
6.6	Battery-Powered Ride-On Toys	SEE NOTE 3
6.7	Toys in Contact with Food	SEE NOTE 3
6.9	Toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	SEE NOTE 3
7.1	Producer's Name and Address	SEE NOTE 3
7.2	Battery-Powered Ride-on Toys	SEE NOTE 3

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



**BUREAU
VERITAS**

MAKEDO PTY LTD
Technical Report: **(3224)304-0331**
Nov.01,2024
Page 10 of 10

SAMPLE REFERENCE PHOTO:



-- END OF REPORT --