Safety Data Sheet **Product Identifier**

SECTION 1. IDENTIFICATION

Product Identifier Other Means of Identification Recommended Use Restrictions on Use Initial Supplier Identifier

Liquid Rubber NeoPond Sealant N-100 Single component sealant for ponds Food Contact, Potable Water Liquid Rubber Canada Inc. #16-1150 Eighth Line, Oakville, ON L6H 2R4, CANADA

Emergency Telephone

In an emergency call Alberta / Northwestern Territories (PADIS): British Columbia (DPIC): Manitoba: New Brunswick: Nova Scotia / Prince Edward Island (IWK): Ontario (OPC): Québec (CAPQ): Saskatchewan (PADIS): Yukon Territory: See also section 4 "First aid measures". CANUTEC 1-888-CAN-UTEC

1-855-451-5820 - 24 hrs a day

911 1-800-332-1414 1-800-567-8911 1-855-7POISON (1-855-776-4766) 911 1-800-565-8161 1-800-268-9017 1-800-463-5060 1-866-454-1212 (867) 393-8700

(226-8832), 613-996-6666 or *666 on a cellular phone

SECTION 2. HAZARD IDENTIFICATION

Classified according to WHMIS 2022.

Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation. Skin Sens. 1; H317, May cause an allergic skin reaction. Eye Dam. 1; H318, Causes serious eye damage.

Signal word = Danger

Hazard statement(s)

Causes skin irritation. (H315) May cause an allergic skin reaction. (H317) Causes serious eye damage. (H318)

Precautionary statement(s) General

If medical advice is needed, have the product container or label at hand. (P101) Keep out of reach of children. (P102)



Prevention

Avoid breathing mist/vapor. (P261) Wear eye protection/protective gloves/protective clothing. (P280) Causes serious eye damage. (H318)

Response

IF ON SKIN: Wash with plenty of water and soap. (P302+P352) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol and 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked

Health Hazards Not Otherwise Classified (HHNOC)

Causes eye irritation. Causes mild skin irritation. May be harmful if swallowed. May be harmful if inhaled.

Additional labelling

Not applicable.

Chemical Name	CAS No.	Concentration (%w/w)	Classification	Note
2-Oxepanone, polymer with 2- ethyl-2- (hydroxymethyl)-1,3- propanediol and 5- isocyanato1-(isocyanatomethyl)-1,3,3- trimethylcyclohexane, 2- hydroxyethyl acrylate-blocked	68987-79-1	10-15 %	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	19
Resin acids and Rosin acids, potassium salts	61790-50-9	1-3%	Eye Irrit. 2, H319	
Resin acids and Rosin acids, sodium salts	61790-51-0	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
ethanediol; ethylene glycol	107-21-1	<1%	Acute Tox. 4, H302 STOT RE 2, H373	
4-Nonylphenol, branched, ethoxylated	127087-87-0	<0.25%	Skin Irrit. 2, H315 Eye Dam. 1, H318	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4. FIRST-AID MEASURES

General Information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin Contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye Contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

Most important symptoms and effects, both acute and delayed.

Sensitization: This product contains substances which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure. The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label of this product.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Not applicable

Special hazards arising from the substance or mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 "Emergency telephone number".

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill.

Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage conditions 10-30°C

Incompatible materials

Acids, bases, oxidizing agents such as nitrates, chlorates, peroxides.

Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters ALBERTA

ethanediol; ethylene glycol Short term exposure limit (15 minutes) (mg/m³): (c) 100 Annotations: 3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required. Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)

BRITISH COLUMBIA

ethanediol; ethylene glycol Time-Weighted Average Limit (TWA): 10 mg/m³ (partic.) Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 20 mg/m³ (partic.) ; C 100 mg/m³ (aerosol / aérosol) ; C 50 mg/m³ (vapour / vapeur) OHS Regulation Part 5: Chemical Agents and Biological Agents.

ONTARIO

ethanediol; ethylene glycol Short-Term Exposure Limit (STEL) / Ceiling Limit (C): C 100 mg/m³ (Aerosol only) Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario Regulation 490/09 (Designated Substances)

QUEBEC

ethanediol; ethylene glycol

Annotations: RP = A substance which may not be recirculated in accordance with section 108. Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)

SASKATCHEWAN

ethanediol; ethylene glycol STEV/Ceiling (mg/m³): 100 The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

Respiratory Equipment.

Туре	Class	Color	Standards
Respiratory protection is			
not needed in the event of			
adequate ventilation.			

Skin Protection

Recommended	Type/Category	Standards	
Wear appropriate	N/A	N/A	
protection clothing, e.g.			
coveralls in polypropylene			
or working clothes in			
cotton or polyester.			

Hand Protection

Material	Glove thickness(mm)	Breakthrough time	Standards
Nitrile	0.56	>240 mins	EN374-2, EN374-3 EN388

Eye Protection

Туре	Standards
Safety glasses with side shields	EN ISO 16321-1
Safety glasses with side shields	EN166
Face shield	EN ISO 16321-1
Face shield	EN166

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold (ppm) pН Density (g/cm³) Relative density Kinematic viscosity Particle characteristics Phase changes Melting point (°C) Softening point/range (°F) Boiling point (°C) Vapour pressure Relative vapour density Decomposition temperature (°C)

Data on fire and explosion hazards Flash point (°C) Flammability (°C) Auto-ignition temperature (°C) Explosion limits (% v/v)


Liquid Dark Grey when wet, Black when cured Characteristic No data available 9.5 1.05 5000-10000 poise cm³/g No data available

No data available Does not apply to liquids. 100 17 mmHg (20 °C) 1.00 No data available

No data available The material is not combustible. No data available No data available







Solubility in water n-octanol/water coefficient (LogKow) Solubility in fat (g/L) Other information Sensitivity to shock Evaporation rate (n-butylacetate = 100) Other physical and chemical parameters Oxidizing properties Dispersible No data available No data available

No Water No data available. No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

The product is stable under the conditions noted in section 7 "Handling and storage".

Possibility of hazardous reactions

None known.

Conditions to avoid

Extremes of temperature

Incompatible materials

Acids, bases, oxidizing agents such as nitrates, chlorates, peroxides.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity Product/substance	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked
Other information:	There is no data available.
Product/substance: Species: Route of exposure: Test: Result:	Resin acids and Rosin acids, sodium salts Rat Oral LD50 >2000 mg/kg
Skin corrosion/irritation Product/substance: Result:	Liquid Rubber NeoPond Sealant Adverse effect observed (Slightly irritating)
Product/substance: Result:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked Adverse effect observed (Slightly irritating)

Product/substance: Species: Description:

Result:

Causes skin irritation.

Serious eye damage/irritation

Product/substance: Result: Product/substance:

Result:

Product/substance:
Species:
Description:
Result:

Causes serious eye damage.

Respiratory sensitization

Product/substance: Other information:

Product/substance:

Other information:

Product/substance: Description:

Skin sensitization

Product/substance: Other information:

Product/substance:

Other information:

Product/substance: Description:

Germ cell mutagenicity Product/substance: Other information:

Product/substance:

Other information:

Resin acids and Rosin acids, sodium salts Rabbit Repeated and prolonged exposure: May cause skin irritation (MSDS-OHS) (Hydrogenated K salt) Rabbit, Skin irritation test: No irritation (ECHA) Adverse effect observed (Slightly irritating)

Liquid Rubber NeoPond Sealant Adverse effect observed (Slightly irritating) 2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked Adverse effect observed (Slightly irritating)

Resin acids and Rosin acids, sodium salts Rabbit May cause eye redness, pain and irritation Adverse effect observed (Slightly irritating)

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.

Resin acids and Rosin acids, sodium salts Not Classified

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.

Resin acids and Rosin acids, sodium salts May cause skin injury and allergies

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available. Product/substance: Description:

Conclusion:

Carcinogenicity Product/substance: Other information:

Product/substance:

Other information:

Product/substance: Result:

Reproductive toxicity

Product/substance: Other information:

Product/substance:

Other information:

Product/substance: Species: Test: Result:

STOT-single exposure

Product/substance: Other information:

Product/substance:

Other information:

Product/substance: Result:

STOT-repeated exposure

Product/substance: Other information: Resin acids and Rosin acids, sodium salts (Calcium salt, Magnesium salt, Hydrogenated potassium salt) S. typhimurium/E. coli, Ames test: Negative (ECHA) No adverse effect observed

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.

Resin acids and Rosin acids, sodium salts Not Classified

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.

Resin acids and Rosin acids, sodium salts Rat NOAEL

(Rosin) Male and female rat, Reproductive/developmental toxicity screening test (Dietary administration, male rats were administered for 2 weeks before mating and then 2 weeks after mating, and female rats for 14 days before mating and until 7 days after mating, days 21 to 23 during pregnancy, and 4 days during lactation): 10000 ppm; Decreased number of implantation and pups, decreased weight of pups born from the parents, Maternal reproductive and pup developmental NOAEL = 3000 ppm (ECHA) ppm

Liquid Rubber NeoPond Sealant There is no data available.

2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.

Resin acids and Rosin acids, sodium salts Inhalation: May cause upper airway irritation (MSDS-OHS) Ingestion: May cause gastrointestinal irritation (MSDS-OHS) (Hydrogenated K salt) Rat dermal toxicity test: Discoloration and desquamation at the application site (ECHA)

Liquid Rubber NeoPond Sealant There is no data available.

Product/substance: Other information:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.
Product/substance: Result:	Resin acids and Rosin acids, sodium salts Not Classified
Aspiration hazard Product/substance: Other information:	Liquid Rubber NeoPond Sealant There is no data available.
Product/substance: Other information:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked There is no data available.
Long term effects	

Long term effects The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

Other information

None known.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity Product/substance: Other information:	Liquid Rubber NeoPond Sealant There is no data available.
Product/substance: Other information:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked No data is available.
Persistence and degradability	
Product/substance:	Liquid Rubber NeoPond Sealant
Conclusion:	-
Other information:	There is no data available.
Product/substance:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked
Conclusion:	-
Other information:	There is no data available.
Product/substance:	Resin acids and Rosin acids, sodium salts
Result:	
Result:	(Mg salt) Biodegradation test (28 days): Readily biodegradable
	(ECHA)
Conclusion:	Readily biodegradable
Bioaccumulative potential	
Product/substance:	Liquid Rubber NeoPond Sealant
Conclusion:	-
Other information:	There is no data available.

Product/substance: Conclusion: Other information:	2-Oxepanone, polymer with 2-ethyl-2-(hydroxymethyl)-1,3 propanediol and 5-isocyanato-1- (isocyanatomethyl)-1,3,3 trimethylcyclohexane, 2-hydroxyethyl acrylate-blocked - There is no data available.
Product/substance: BCF: Conclusion: Mobility in soil	Resin acids and Rosin acids, sodium salts BCF=56.2 (ECHA) -

No data available.

Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

Other adverse effects

None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods None of the components are listed Specific labelling Contaminated packing Packaging containing residues of the product must be disposed of similarly to the product.

	SECTION 14. TRANSPORT INFORMATION				
	UN / ID	UN proper shipping name	Hazard class(es)	PG*	Env**
TDG	-	This product is not regulated		-	No
IMDG	-	This product is not regulated		-	No
IATA	-	This product is not regulated		-	No

* Packing group

** Environmental hazards Additional information

Not dangerous goods according to ADR, IATA and IMDG.

TDG / See Schedule 1 for any information on special provisions, requirements, or warnings in connection with transport. See part 3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport. IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with

Special precautions for user

Not applicable.

transport.

Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture Canadian lists

NDSL - Liquid Rubber NeoPond Sealant is listed **DSL** - Liquid Rubber NeoPond Sealant is listed

Restrictions for application

No special.

Demands for specific education

No specific requirements.

Additional information

Not applicable.

Chemical safety assessment No

Sources

Hazardous Products Regulations (SOR/2022-272)

SECTION 16. OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H335, May cause respiratory irritation.
- H373, May cause damage to organs through prolonged or repeated exposure.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ANSI = American National Standards Institute ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service DSL = Domestic Substances List GHS = Globally Harmonized System of Classification and Labelling of Chemicals HHNOC = Health Hazards Not Otherwise Classified IARC = International Agency for Research on Cancer IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NDSL = Non-domestic substances list OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PHNOC = Physical Hazards Not Otherwise Classified RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SCL = A specific concentration limit. SOR = Statutory Orders and Regulations STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TDG = Transportation of Dangerous Goods TWA = Time weighted average **UN = United Nations** UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative WHIMS = Workplace Hazardous Materials Information System

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022

Date of latest revision – January 1st, 2025

Liquid Rubber Canada Inc. believes the information contained herein is accurate; however, Liquid Rubber Canada Inc. makes no guarantees with respect to such accuracy and assumes no liability in connection with the use of the information contained herein which is not intended to be and should not be construed as legal advice or as insuring compliance with any federal, state, or local laws or regulations. Any party using this product should review all such laws, rules, or regulations prior to use, including but not limited to US and Canada Federal, Provincial and State regulations.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE.