

Second - Generation Supra P500 Pro Keysafe™

Police Preferred & Tamper Resistant

The P500 Pro KeySafe™ has been designed following extensive consultation with users. The security of the key safe is the highest level ever awarded to a mechanical push-button key safe in the UK, achieving the impressive LPS1175 level 5 accreditation. As a result of this security rating, the product has achieved police preference through the Secured by Design initiative.

Construction:

The Supra P500 Pro KeySafe™ is made of heavy gauge stainless steel and a thick zinc-alloy shell. It comes complete with a stainless steel backplate integrated into the zinc shell to create a triple wall construction and a code tamper protection plate. A stainless plate around the buttons adds additional security and is scratch and fingerprint resistant. The heavy-duty locking mechanism uses a long-travel bolt, making it extremely pry-resistant. A clutch mechanism prevents the handle from being forced open. If the key safe is locked and the handle is turned with force, the handle slips and turns effortlessly without opening. Just turn the handle back to the closed position until it clicks to re-latch the handle.

Approvals:

The Supra P500 Pro KeySafe™ has been tested against physical attack and as a result has received LPS1175: Issue 8, Security Rating 5 accreditation, meaning that it can withstand a 5 minute plus attack. To maintain the security certification, the key safe needs to be mounted using the included screws onto a brick, concrete.

Applications:

The Supra P500 Pro KeySafe™ has many applications including; access for home healthcare and home services, remote sites, property management, equipment storage, after-hours delivery, alarm or emergency access, secure storage for spare keys, emergency entry and holiday homes.



Certified to LPS1175: Issue 8
Security Rating A5
Certificate 1062h/01

Secured by Design



Official Police Security Initiative

keysafe
trust quality passion

Features of the Supra P500 Pro KeySafe™ include:

- Masonry screw fixings, which securely attach the key safe to the wall, resisting any attempts to remove it.
- A and B buttons to allow over 4,000 possible combinations.
- An 'OPEN' dial to allow access when the correct code is entered, yet its unique clutch mechanism will slip if an incorrect code is entered.
- Complete with stainless steel reinforcement back plate and code tamper protection.
- Fully integrated weather cover, protecting from the elements.

Standard Features:

- Solid metal construction
- Easy push button access
- 4,096 possible combination codes
- Store 5+ keys
- Weather cover included
- Mounting hardware included



Fitting Kit Included. Only suitable for concrete, brick and rendered walls

Technical Specification

Physical:

Exterior DIMENSIONS (HxWxD) (MM):	149.35 x 81.03 x 63.5
Exterior DIMENSIONS (HxWxD) (Inch):	5 7/8 x 3 3/16 x 2 1/2
Interior DIMENSIONS (HxWxD) (MM):	76.2 x 47.47 x 18.03
Interior DIMENSIONS (HxWxD) (Inch):	3 x 1 87/100 x 71/100
Weight:	2,000g

Environmental:

Salt Fog:	ASTM B117-02; 96 hrs
Freezing Rain Build-Up:	MIL-STD-810F, Method 521.2; -25°C, 6.35 MM
Resistance Against CHEMICALS/Cleaners:	Standard household CHEMICALS
UV Exposure:	ASTMG115, Cycle 1; 1000 hrs w/ospray
Dust BOMBARDMENT:	SAE J1211-78, 4.5; 24 hrs

Performance:

Operations:	7500 openings/closings, 23°C
Possible	4,096
Certifications: LPS 1175:	LPS 1175 issue 8 A5 ref 1062h/01

Ordering Information:

Part No:	Description:
002045	Supra P500 Pro KeySafe™
REN500FK	Masonry Mounting Kit - 4 Heavy Duty Sleeveless Screws
AP002	P500 Pro Fitting Pack
10102726P1	P500 Pro KeySafe™ Weather

The Key Safe COMPANY
Unit 4 Nunnery Park, Hornhill Road Worcester,
Worcestershire, WR4 0SX
Tel: 01905 770333
EMAIL: sales@keysafe.co.uk
www.keysafe.co.uk

keysafe
trust quality passion