

 solo stove®


# STATION

*Storage, optimised*

**Assembly, Storage and Care**

SCAN HERE



 **Must read before use. Failure to do so can result in serious injury or death.**


Vor Gebrauch unbedingt lesen. Andernfalls sind schwere Verletzungen oder Todesfälle möglich. **HIER SCANNEN.**

À lire absolument avant toute utilisation. Le non-respect de cette consigne peut entraîner des blessures graves, voire mortelles. **SCANNER ICI.**


Leer antes de usar. El no hacerlo puede resultar en lesiones graves o muerte. **ESCANEE AQUÍ.**

Lezen voor gebruik. Het nalaten hiervan kan leiden tot serieuze verwondingen of de dood. **SCAN HIER.**


Da leggere prima dell'uso. In caso contrario, possono verificarsi lesioni gravi o morte. **SCANSIONA QUI.**




Frame Side A (1 pc)




Frame Side B (1 pc)




Cover (1 pc)



Shelf (2 pcs)




Cover Support Section (2 pcs)



Torx Spanner (1 pc)



Assembly Screw (16 pcs)




Fire Pit Support (2 pcs)



## Step 1

Identify 'Frame Side A' (the side without the tool holder) and lay it down with brackets facing up on a soft, level surface.

TIP: Build Station on a rug or delivery box to protect components and surface from potential scratches.




Frame Side A




## Step 2

First, carefully slide one Shelf onto the brackets in the middle of Frame Side A with slats facing the top of the unit.




Next, install 4 screws into the holes near Frame Side A. Slight back and forth movement may help to align. Do not force screws into position. Tighten by hand only.



### Step 3

First, carefully slide the second shelf onto the remaining set of brackets towards the end of Frame Side A.


Next, install 4 screws into the holes near Frame A. Slight back and forth movement may help to align. Do not force screws into position. Tighten by hand only.




## Step 4

First, carefully slide Frame Side B onto the other side of the shelves as shown.

TIP: Two people might be needed for this step to avoid damage.





Next, install 8 screws into the remaining holes and hand tighten.



## Step 5


Carefully stand frame as shown with all four feet firmly resting on the floor. Tighten screws with included spanner.

TIP: If all four feet aren't resting on the floor, loosen screws and re-tighten as needed.




## Step 6

Locate the two halves of the Cover Support and gently slide them together by aligning their corresponding interlocking tabs as shown.



View from underside of Cover Support



Tab correctly positioned underneath metal retaining clip

TIP: Take note, the metal retaining clips do not get bound up during assembly of the cover. Ensure that the cover is in the correct position using the diagram below.




WRONG



WRONG



CORRECT



Assembled Cover Support - Top View







## Step 7

To insert the cover into the Station frame, use the following three steps. First, carefully dip one side down and angle one end of the Cover Support into the assembled frame.

Next, slide Cover Support past the edge of the frame, and lower so both ends are level. Next, center and slide into place as illustrated in the diagram below. Align tab locations on frame with tab pockets on underside of cover support as shown.





Frame Tab should be aligned with Frame Tab Pocket of Cover Support in each corner.



## Step 7, continued

Finally, once all tab locations are aligned, gently push down on each corner to snap the Cover Support into place.




Frame Tab snapped into  
Frame Tab Pocket



## Step 8


Locate the two plastic Fire Pit Protectors. Once you have decided which shelf you'll be storing your Fire Pit on (either upper or lower), insert the Fire Pit Protectors into the second and fourth openings as shown.

Gently press the Fire Pit Protectors down until they are firmly nested into position. Protectors can be removed if needed by pushing up from underneath.




## Step 9

First, remove fabric Cover from the delivery bag and drape over the Cover Support as shown. Note that the cover will come with side panels rolled up. These will need to be gently pressed through the opening between the Frame and the Cover Support.



Next, carefully lift each front and back panel up and locate the 3 short ends of the cover straps. Attach to the underside of the Cover Support using the Velcro straps. Repeat for both Front and Back sides (6 straps total).




Short ends of Cover Straps.  
Attach to Cover Support  
Straps as shown



## Step 10

Unroll the side panels by sliding the toggle on the end of the panel strap out of the loop at the top of the panel.




Velcro Straps are located at each corner to keep flaps down when not in use.

Side, front and rear panels can be either rolled up for ease of access or remain unrolled to protect wood and all your Solo Stove gear. Velcro straps can be secured at each corner to improve all-weather protection and keep Cover in place.




## How To Use Station's Tool Holder

Station features a holder to store Shield tools and Fire Pit Tools. You can remove the Tool Holder from its original location and place it onto any of the Frame's rungs depending on your needs by simply snapping it on and off.



Here are a few things to keep in mind:

1. Your Log Grabber should always be stored with the grabber end angled away from Station's frame.
2. Rotate Log Poker to the left or right so it lays flush with the Frame.
3. Rotate Shield tools to the left or right so they lay flush with the Frame.



## Safety and Care Instructions

1. Do not store hot fire pits in the Station. Fire Pits should be allowed to completely cool and coals emptied prior to storing in the Station. Serious damage, injury or risk of fire could occur.
2. Do not climb, sit or stand on any part of the Station.
3. Station should be used on a stable and level outdoor surface.
4. Station should be carried by two people and should only be moved while empty. Do not attempt to pick up, move or slide a loaded Station.
5. Do not put objects on top of Station's cover or cover support. Clean off snow and ice accumulation as it occurs.
6. Station is designed to store Solo Stove® Ranger, Bonfire, and Yukon 27" fire pits. Yukon 27" will protrude slightly from the front and back of Station when stored. This is normal. Legacy Solo Stove® Yukon 30" fire pits will not fit inside Station.
7. Solo Stove® fire pit flame rings should be turned upside down and nested inside the fire pit before storing the fire pit inside Station.
8. Solo Stove® fire pit protectors should be used on the shelf where the fire pit is stored. Refer to Assembly Instructions for more details.
9. Station can be cleaned with mild soap and water when necessary. Do not use harsh abrasives or cleaning pads. Damage to finish may occur. Dry with soft terry cloth towels.
10. Do not pressure wash Station's frame or cover. Damage to finish or fabric may occur.
11. Station is made with the highest quality UV-protective materials. However, some color variation is inevitable with constant outdoor exposure. This is normal and should not be construed as a defect.
12. Care should be taken not to drop items onto Station's shelves. Set wood and Solo Stove® fire pits down gently.
13. Due to variation in some fire pit tools, their fit may vary in Station's tool holders. This is normal. Review Station tool holder usage in the instructions for more details on proper tool storage.
14. Station is designed to be accessible from multiple sides and can be placed in the open, on patios, in gardens, and many other areas. However, it is not suggested to store wood up against homes, wooden structures or inside garages and buildings due to termites and other insects that may be dormant in the wood or drawn to it.
15. Station's cover is designed to protect wood from most moisture. However, it is also designed to allow wood to breathe to ensure it dries thoroughly.
16. Wood should be managed in your Station and rotated periodically for the best burning experience. Unseasoned wood should be placed on the bottom of the stack and allowed to dry for 9-12 months before use.
17. Station shelves can accommodate two rows of 10-12" length wood or one row of 16-18" length wood.
18. Station's cover flaps are designed to be rolled up and temporarily tied out of the way for ease of access inside Station. Flaps should not be left rolled up for long periods of time.

## Station Product Features

- Configurable design lets you store your Solo Stove fire pit, firewood, fire pit tools, and more - just the way you want.
- Integrated four flap cover protects firewood from the elements while allowing it to breathe.
- Removable plastic buffers protect the bottom of your fire pit when sliding it onto the shelf.
- Frame made with powder-coated aluminum.
- Cover made with UV-resistant fabric

