



HYPOCHLOROUS ACID READY-TO-USE SURFACE DISINFECTANT

SKU #	PRODUCT DETAILS
HOCL128-SINGLE	128 oz gallon container
HOCL128-4	(1) case; 4 gallons/case
HOCL128-24	(6) cases of 4 gallons, 24 total
HOCL128-48	(12) cases of 4 gallons, 48 total
HOCL128-96	(24) cases of 4 gallons / full pallet



**KILLS 99% OF GERMS,
BACTERIA & VIRUSES**



**ECO-FRIENDLY, NON-TOXIC,
& BIODEGRADABLE**



**EPA-REGISTERED &
FDA-APPROVED FORMULA**



**RINSE-FREE
FORMULA**



**MADE
IN USA**



HYPOCHLOROUS ACID READY-TO-USE SURFACE DISINFECTANT

CLEAN POWERFULLY, BREATHE EASY

A safer way to clean and disinfect, this formula is made from just water, salt, and electricity—producing Hypochlorous Acid (HOCl). It's powerful against germs and grime, yet gentle on skin and free from harmful chemicals or toxic fumes. Ideal for use in healthcare facilities, schools, businesses, and at home.

SPECIFICATIONS

VOLUME	1 gallon
QUANTITY	1 gallon, 4, 24, 48, or 96 cases of 4 gallons
WEIGHT	9 lbs
SCENT	Fragrance-free
ACTIVE INGREDIENT	Hypochlorous Acid - 0.025%
OTHER INGREDIENT	99.975%

FEATURES

- Kills harmful germs & bacteria like Salmonella, E. coli, Staph, N1N1, Norovirus, and more
- Kills SARS-CoV-2, the virus that causes COVID-19, on hard, non-porous surfaces in just 60 seconds
- Sanitizes in 60 seconds, disinfects & deodorizes in 10 minutes
- Safe for use on food service items such as dishes, utensils, counter tops, etc.
- Non-caustic and non-corrosive
- No harsh fumes, chemical odors or surfaces residues. Alcohol-free, bleach-free and preservative-free
- Ready-to-Use Disinfectant—just spray and walk away!
- Recommended for use with a disinfecting sprayer



KILL CLAIMS

DISINFECTION CLAIMS KILLS 99.9% OF GERMS, BACTERIA, AND VIRUSES
BACTERIA
Staphylococcus aureus (ATCC 6538), Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (ATCC 10708), and Escherichia coli (ATCC 11229) on hard non-porous surfaces.
GERMS
Staphylococcus aureus, Pseudomonas Aeruginosa, Salmonella enterica (ATCC 10708), Escherichia coli, HIV-1 (Strain IIIB), Norovirus (Feline Calicivirus and Murine Norovirus as surrogates)
VIRUSES
SARS-CoV-2 (formerly 2019 Novel Coronavirus), HIV-1, Influenza A Virus (H1 N1) (Strain A/Swine/1976/31) (ATCC VR-99), Norovirus (Feline Calicivirus and Murine Norovirus as surrogates), Hepatitis A Virus, Hepatitis B Virus, Hepatitis C Virus on hard non-porous surfaces.

SANITIZATION CLAIM KILLS GERMS ON TREATED FOOD CONTACT SURFACES IN 60 SECONDS. AN EFFECTIVE SANITIZER FOR USE ON FOOD CONTACT SURFACES
GERMS
Escherichia coli and Staphylococcus aureus


DIRECTIONS FOR USE

DISINFECTION OF HARD, NON-POROUS SURFACES

To disinfect, apply to hard, non-porous surfaces using a cloth, mop, sponge, or coarse sprayer. Ensure surfaces are visibly wet and remain wet for 10 minutes. Allow to air dry. Remove visible soil before applying. Small, non-porous items may be soaked undiluted for 10 minutes. Not for use as a terminal sterilant or high-level disinfectant on instruments that enter the body or contact mucous membranes. May be used to pre-clean or decontaminate devices prior to sterilization or high-level disinfection.

SANITIZATION OF HARD, NON-POROUS FOOD CONTACT SURFACES

Hypochlorous Surface Disinfectant is intended for use on pre-cleaned, non-porous food contact surfaces, including food prep and storage areas, as well as other hard, non-porous surfaces. Before sanitizing, pre-clean all surfaces by flushing, scraping, or presoaking as needed. Wash thoroughly with a compatible detergent or cleaner, then rinse with potable water. To sanitize, apply the product using a cloth, mop, sponge, or coarse sprayer. Ensure surfaces are visibly wet and remain wet for 60 seconds. Allow to air dry.

 **PHYSICAL OR CHEMICAL HAZARDS:** Do not use this product with other household or industrial chemicals such as toilet bowl cleaners, rust removers, acids, or products containing ammonia. To do so will release hazardous, irritating gas. Prolonged contact with metal may cause pitting or discoloration. Wiping metal surfaces, after drying, with a clean water-dampened soft cloth helps ensure best protection from pitting or discoloration. No dilution or mixing required. **STORAGE:** Do not contaminate water, food, or feed by storage and disposal, or cleaning of equipment. Store in its original sealed container at room temperature, away from direct sunlight and heat to avoid deterioration. **PESTICIDE DISPOSAL:** Wastes from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Then offer for recycling if available or reconditioning. If appropriate puncture and dispose of in a sanitary landfill or by incineration.

Questions? We love to help!

zogics.com • hello@zogics.com • 888.623.0088